Document Identifier: **PMC8665268**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The Research Ethics Committee of Wannan Medical College approved the study conducted following the Declaration of Helsinki.
Consent: The participants and their family members provided written informed consent.
Inclusion and Exclusion Criteria
Inclusion criteria were as follows: (1) middle cerebral artery bifurcation saccular aneurysms; (2) follow-up period more than 3 months; (3) the aneurysms were treated with coil embolization only; (4) the degree of aneurysms embolization reached the standard of Raymond I (complete occlusion); (5) the quality of 3D DSA imaging was suitable for CFD analysis; Exclusion criteria were as follows: (1) fusiform, dissected, M1, and MCA distal aneurysms; (2) follow-up period less than 3 months; (3) aneurysms were treated with stent-assisted or stent embolization only; (4) the degree of aneurysms embolization was Raymond II (neck remnant) or Raymond III (partial occlusion).
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication	
not required.	
Data Information	
Identifiers: The eight morphological parameters were described by Zhang et al and calculated by the method of Ingebrigtsen et al.12,14 All hemodynamic parameters, including velocity, normalized wall shear stress (NWSS), the percentage of low WSS area (LSA%), maximum wall shear stress (MWSS), spatially averaged wall shear stress (SAWSS), oscillatory shear index (OSI), and relative residence time (RRT) were calculated as described previously.8,10,11 Statistical Analysis Statistical analyses were performed using SPSS20.0 (SPSS Inc, Chicago, Illinois).	previously.8,10,11

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
We obtained the pulsatile velocity waveform from a healthy person using transcranial Doppler and subsequently collected the flow spectrum envelope to get the average flow velocity waveform of the entire cardiac cycle using MATLAB 14.0 (MathWorks, Natick, MA, US).	MATLAB		Suggestion: MATLAB, RRID:SCR_001622(link)
The eight morphological parameters were described by Zhang et al and calculated by the method of Ingebrigtsen et al.12,14 All hemodynamic parameters, including velocity, normalized wall shear stress (NWSS), the percentage of low WSS area (LSA%), maximum wall shear stress (MWSS), spatially averaged wall shear stress (SAWSS), oscillatory shear index (OSI), and relative residence time (RRT) were calculated as described previously.8,10,11 Statistical Analysis Statistical analyses were performed using SPSS20.0 (SPSS Inc, Chicago, Illinois).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The Shapiro–Wilks W or Kolmogorov–Smirnov D test was used to determine whether a parameter was normally distributed.	Kolmogorov–Smirnov D test
The independent sample t-test (for normally distributed data), nonparametric Mann–Whitney U-test (for non-normally distributed data), and chi-square test were used to calculate the statistical significance of all parameters between the groups.	t-test
	Mann–Whitney U-test
	chi-square test
For preoperative and postoperative data, paired t-tests (for normally distributed data) or the Mann–Whitney U-test (for non-normally distributed data) were used to calculate the differences between the two groups.	t-tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq