Document Identifier: **PMC8669687**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: CCl4 liver injury model The present study was approved by the Animal Care and Use Committee of Tangdu Hospital of Air Force Medical University [approval no. TDYY(2019)033; Xi ' an , China] .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
C57BL/6 J male mice (n=12; 6 weeks old,18–22 g) were obtained from the Institute of Laboratory Animal Sciences (Chinese Academy of Medical Sciences; Peking Union Medical College) .
Subject Demographics
Age: C57BL/6 J male mice (n=12; 6 weeks old,18–22 g) were obtained from the Institute of Laboratory Animal Sciences (Chinese Academy of Medical Sciences; Peking Union Medical College) .
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Statistical analysis All experiments were performed in triplicate.
Number: Statistical analysis All experiments were performed in triplicate.
Cell Line Authentication

not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The membranes were incubated overnight at 4°C with primary antibodies (1:1,000) against Col-1 (cat. no. ab34710) , α-SMA (cat. no. ab5694) , SMAD4 (cat. no. ab40759) and GAPDH (cat. no. ab9485 (all purchased from Abcam) .	Col-1		
	α-SMA		
	GAPDH		
Following the primary antibody incubation , membranes were incubated with goat anti-rabbit antibody (cat. no. ab205718; 1:2,000; Abcam) at room temperature for 2 h .	anti-rabbit		
Proteins of the RNA-protein complexes were eluted from the magnetic beads by boiling (8 min at 100°C), and SMAD4 protein expression was examined as aforementioned via western blotting using the antibody against SMAD4 (1:5,000).	SMAD4		
Experimental Models: Cell Lines			
TGF-β1 (5 ng/ml; PeproTech, Inc.) was used to induce LX-2 cells and cultured 24 h before transfection.	LX-2		Suggestion: RRID:CVCL_5792(link)
Experimental Models: Organisms/Strains			
C57BL/6 J male mice (n=12; 6 weeks old,18–22 g) were obtained from the Institute of Laboratory Animal Sciences (Chinese Academy of Medical Sciences; Peking Union Medical College) .	C57BL/6 J		Suggestion: RRID:IMSR_JAX:000664(link)
Recombinant DNA			
HSCs (6×105 cells) were transfected with si-lnc-MBI-52 1# (5#-GCAGAACCATAAAGATGGTCCA-3#) , si-lnc-MBI-52 2# (5#-UGGUAAUGGUGGAGGAAGAUU-3#) , si-NC (5#-UUCUCCGAACGUGUCACGUTT-3#) , lnc-MBI-52 overexpression (lnc-MBI-52) plasmids (lnc-MBI-52) , pcDNA3.1 (vector) (5#-UCACAACCUCCUAGAAAGAGUAGA-3#) ,	pcDNA3.1		Suggestion: RRID:Addgene_100544(link)
The pGL3 vectors containing SMAD4 and lnc-MBI-52 WT or MUT predicted binding regions	pGL3		Suggestion: RRID:Addgene_44264(link)

were co-transfected with the WT or MUT 3#-untranslated region of lnc-MBI-52 (or SMAD4) and miR-466g mimics or mimic NC into HSCs using Lipofectamine® 2000 reagent (Invitrogen; Thermo Fisher Scientific , Inc .) at 37°C for 48 h .			
Software and Algorithms			
Dual-luciferase reporter assay The targets of lnc-MBI-52 and miR-466g were predicted using miRDB (http://mirdb.org) and TargetScan 7.2 (http://www.targetscan.org/vert_72).	TargetScan		
Data were analyzed using SPSS 22.0 software (IBM Corp.) and presented as the mean ± SEM.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
One-way ANOVA followed by Tukey's post hoc test were used to compare differences between multiple groups.	ANOVA
	Tukey's post hoc test
Oligonucleotides	
HSCs (6×105 cells) were transfected with si-lnc-MBI-52 1# (5#-GCAGAACCATAAAGATGGTCC A-3#) , si-lnc-MBI-52 2# (5#-UGGUAAUGGUGGAGGAAGAUU -3#) , si-NC (5#-UUCUCCGAACGUGUCACGUTT -3#) , lnc-MBI-52 overexpression (lnc-MBI-52) plasmids (lnc-MBI-52) , pcDNA3.1 (vector) (5#-UCACAACCUCCUAGAAAGAGU AGA-3#) ,	5#-GCAGAACCATAAAGATGGTCC A-3#
	5#-UGGUAAUGGUGGAGGAAGAUU -3#
	5#-UUCUCCGAACGUGUCACGUTT -3#
	5#-UCACAACCUCCUAGAAAGAGU AGA-3#
miR-466g mimic (5#-UAUGUGUGUGUACAUGUACAUA-3#)	5#-UAUGUGUGUGUACAUGUACAUA-3#
miR-466g inhibitor (5#-GTGTTGCGTGTATGTGTA-3#) or miRNA inhibitor NC (5#-GTGTAACACGTCTATACGCCC A-3# (Shanghai GenePharma Co . , Ltd.) at a final concentration of 50 nM using Lipofectamine® 2000 reagent (Invitrogen; Thermo Fisher Scientific , Inc .) at 37°C for 48 h .	5#-GTGTTGCGTGTATGTGTA-3#
	5#-GTGTAACACGTCTATACGCCC A-3#
The primer sequences used were as follows: lnc-MBI-52 forward (F) , 5#-GTCCAGGGACCTCTGACCTA- 3# and reverse (R) ,	5#-GTCCAGGGACCTCTGACCTA- 3#
miR-466g F , 5#-CACTAGTGGTTCCGTTTAGTA G-3# and R , 5#-TTGTAGTCACTAGGGCACC-3 #; α-SMA F , 5#-CACCATCGGGAATGAACGCTT C-3# and R , 5#-CTGTCAGCAATGCCTGGGTA-3#; Col-1 F , 5#-GGTCATTCTCTTCGCAGACAG -3# and R , 5#-CCACCGGATACTTGGTCTCCA -3#; SMAD4 F , 5#-CTCATGTGATCTATGCCCGTC -3# and R , 5#-AGGTGATACAACTCGTTCGTA GT-3#; U6 F , 5#-CTCGCTTCGGCAGCACA-3# and R , 5#-AACGCTTCACGAATTTGCGT-3; and GAPDH F , 5#-AAGGTGAAGGTCGGAGTCA-3 # and R , 5#-GGAAGATGGTGATGGGATTT-3# .	5#-CACTAGTGGTTCCGTTTAGTA G-3#
	5#-TTGTAGTCACTAGGGCACC-3 #
	5#-CACCATCGGGAATGAACGCTT C-3#
	5#-CTGTCAGCAATGCCTGGGTA- 3#
	5#-GGTCATTCTCTTCGCAGACAG -3#
	5#-CCACCGGATACTTGGTCTCCA -3#
	5#-CTCATGTGATCTATGCCCGTC -3#
	5#-AGGTGATACAACTCGTTCGTA GT-3#
	5#-CTCGCTTCGGCAGCACA-3#
	5#-AACGCTTCACGAATTTGCGT- 3
	5#-AAGGTGAAGGTCGGAGTCA-3 #
	5#-GGAAGATGGTGATGGGATTT- 3#

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq