Document Identifier: **PMC8672662**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not detected.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
Briefly , DRGs were isolated from timed pregnant (E13) mice under the sterile condition and plated on pre-coated coverslips with poly L-lysine (Sigma-Aldrich , USA) (1 mg/mL) and laminin (Sigma-Aldrich , USA) (100 µg/mL) .
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication

not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Cell Lines			
Production of sNRP1 by HEK293T cells To produce sNRP1 from the sNRP1-lentiviral vectors , HEK293T cells were plated on T75 flasks and cultured at 104 cell/cm2 density in complete Dulbecco's Modified Eagle Medium (DMEM) (INOCLON , Iran) containing 10 % FBS (Gibco , Thermo Fischer Scientific , USA) , 1x Pen-Strep (INOCLON , Iran) , and 25 mM 4- (2-hydroxyethyl)-1-piperazineethanesulfonic acid (HEPES) (INOCLON , Iran) .	HEK293T		Suggestion: RRID:CVCL_0063(link)
Experimental Models: Organisms/Strains			
The msNRP1-coding sequence fragment was reverse transcribed from total RNA extracted from C57BL/6 mouse liver tissue.	C57BL/6		Suggestion: RRID:IMSR_JAX:000664(link)
Recombinant DNA			
lentiviral vector (Lv-SFFV-msNRP1) was constructed based on the LeGO-iG2 plasmid (Weber , Bartsch , Stocking , & Fehse , 2008) from Addgene.	LeGO-iG2		Suggestion: RRID:Addgene_27341(link)
The amplified DNA fragments were purified from agarose gel and cloned into a pLeGO-iG2 , downstream of the Spleen Focus Forming Virus (SFFV) promoter .	pLeGO-iG2		
For lentiviral vector packaging , HEK293T cells were transfected with pLeGO-SFFV/msNRP1-IRES-EGFP or pLeGO-SFFV/IRES-EGFP (the control vector) , psPAX2 , and pMID2 .	pLeGO-SFFV/ msNRP1-IRES-EGFP		
	pLeGO-SFFV/ IRES-EGFP		
	psPAX2		Suggestion: RRID:Addgene_12260(link)
	pMID2		
Software and Algorithms			
All analyses were performed using the SPSS V. 22.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis Values were expressed as Mean±SE, and comparisons were performed by 1-way ANOVA and post hoc Tukey tests.	ANOVA
	Tukey tests
Oligonucleotides	
Subsequently , specific forward (F:5# GCTGAATTCATGGAGAGGGGGCTG CCGTT 3#) and reverse primers (R:5# AGCAGGCCTCAGATAAGTATGTGA GCCCTTGTGC 3#) containing the restriction site for EcoR I and Stu I enzymes were used to amplify the fragment .	F:5# GCTGAATTCATGGAGAGGGGGCTG CCGTT 3#
	R:5# AGCAGGCCTCAGATAAGTATGTGA GCCCTTGTGC 3#

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq