Document Identifier: **PMC8677603**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Ethical approval for the study was obtained from the ALSPAC Ethics and Law Committee and the Local Research Ethics Committees .
Consent: Informed consent for the use of data collected via questionnaires and clinics was obtained from participants following the recommendations of the ALSPAC Ethics and Law Committee at the time.
Inclusion and Exclusion Criteria
We restricted study participants to those who had all arterial outcomes (FMD , DC , and carotid–radial PWV) at age 10 yr (n = 5566) .
Attrition
Dealing with missing data and multiple imputations Altogether , 7706 children attended the clinic visit at 9 yr of age and 6972 children were present at the age 10-yr clinic visit .
Sex as a biological variable
ALSPAC enrolled 15,541 pregnant women with an expected delivery date from April 1991 to the end of December 1992 , representing 85 % of the eligible general population in three health authorities in Bristol , United Kingdom .
Subject Demographics
Age: During this study period , healthy staff volunteers (i.e. , adults who were not ALSPAC participants) age 18–30 yr were studied at the beginning (n = 23) , middle (n = 25) , and end (n = 10) .
Randomization
The intraparticipant variability of the measures was assessed by collection of repeat vascular measures among randomly selected 231 children (3 % of the cohort) within 6 wk of their initial visit (8) .
Blinding
not detected.
Power Analysis

Analyses involving 50% of a sample of 10,000 ALSPAC children at 80% statistical power, an α value of 0.05, and a two-sided P value would show a minimum detectable effect size of 0.048 SD if they had relevant exposure for a normally distributed quantitative variable (49).	
Replication	
not required.	
Cell Line Authentication	
Authentication: An objective measure of pubertal (somatic) status (time in years to age at peak height velocity) was derived using Superimposition by Translation And Rotation mixed-effects growth curve analysis (34) .	
Data Information	
Identifiers: All covariates were selected based on previous studies and biological plausibility (2,8,10,29,45).	2,8,10,29,45

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
We then conducted linear regression–type multiple imputations (29) using SPSS version 25 (IBM SPSS Statistics; IBM Corporation , Armonk , NY) to minimize selection bias (see Table S3 , Supplemental Digital Content 4 for imputed variables , http://links.lww.com/MSS/C401).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analyses We summarized descriptive characteristics as means with SD or medians with interquartile ranges, and frequencies in percentages (%), and sex differences were explored using independent t-tests or Mann–Whitney U tests for normally distributed or skewed variables, χ2 test was used for dichotomous variable, and one-way analysis of variance for multicategorical variable.	t-tests
	Mann–Whitney U tests
	χ2 test
	analysis of variance
The normal distribution of variables was assessed by histogram and Kolmogorov–Smirnov tests.	Kolmogorov–Smirnov tests
We tested the hypothesis of a significant mediating effect using the Sobel test and reported the z scores and P values.	Sobel test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq