Document Identifier: **PMC8684454**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Euthanasia Agents: The oil was sampled with sterile, decapitated 50 mL syringes.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
The following program was used: 2 min at 50degC and 10 min at 96degC , followed by 40 cycles with 25 s at 96degC for denaturation and 6 min at 55degC for annealing and extension . qPCR was carried out in duplicates on a C1000 Touch Thermal Cycler (CFX96 Real-Time System , Bio-Rad Laboratories GmbH)

Number: The following program was used: 2 min at 50degC and 10 min at 96degC , followed by 40 cycles with 25 s at 96degC for denaturation and 6 min at 55degC for annealing and extension . qPCR was carried out in duplicates on a C1000 Touch Thermal Cycler (CFX96 Real-Time System , Bio-Rad Laboratories GmbH)	
Data Information	
Availability: Raw sequences are available on the NCBI database in Bioproject PRJNA642708 .	
Identifiers: Raw sequences are available on the NCBI database in Bioproject PRJNA642708 .	PRJNA642708

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
DNA sequence analysis was performed using mothur version 1.40.5 (Schloss et al. 2009) .	mothur		Suggestion: mothur (RRID:SCR_011947)(link)
Subsequent analyses of the microbial composition of the water droplet communities were performed with the R package phyloseq version 1.24.2 (McMurdie and Holmes 2013) .	phyloseq		Suggestion: phyloseq (RRID:SCR_013080)(link)
Reclassification with BLAST NCBI (NCBI Resource Coordinators 2016) of 286 previously unclassified OTUs assigned most OTUs to Dehalococcoidia and the candidate phyla Atribacteria and Parcubacteria .	BLAST		Suggestion: WU-BLAST (RRID:SCR_011824)(link)
	NCBI		Suggestion: NCBI (RRID:SCR_006472)(link)
Raw sequences are available on the NCBI database in Bioproject PRJNA642708 .	Bioproject		Suggestion: NCBI BioProject (RRID:SCR_004801)(link)
Statistical analysis Statistical analyses were performed with vegan R package and a published R script (Torondel et al. 2016).	vegan		Suggestion: vegan (RRID:SCR_011950)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
We first tested whether ion concentrations differed between sampling sites by multivariate analysis of variance (MANOVA), followed by separate one-way analysis of variance (ANOVA) for each ion and by Tukey post-hoc tests (TukeyHSD) for pairwise comparisons of sampling sites.	multivariate analysis of variance
	MANOVA
	analysis of variance
	ANOVA
	Tukey post-hoc tests
Permutational analysis of variance (PERMANOVA) was applied for testing if microbial communities were determined by the sampling location.	PERMANOVA
The relationship between chloride or sulfate and the relative abundance of individual OTUs were tested using Spearmans rank correlation with Benjamini-Hochberg multiple testing correction.	Spearmans rank correlation
	Benjamini-Hochberg
Oligonucleotides	
We amplified the V3-V4 region of the 16S rRNA gene of both bacteria and archaea using forward primer Uni340F (CCT ACG GGR BGC ASC AG)	CCT ACG GGR BGC ASC AG
, reverse primer Uni806R (GGA CTA CNN GGG TAT CTA AT) and the FAM-TAMRA-labelled Probe Uni516F (YCA GCM GCC GCG GTA AHA CVN RS)	GGA CTA CNN GGG TAT CTA AT
	YCA GCM GCC GCG GTA AHA CVN RS

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq