Document Identifier: **PMC8684732**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication

Authentication: Knockdown and rescue were confirmed by Western blotting of whole-cell lysates for the presence of fascin-1 or filamin-A andor by immunofluorescence for the presence of fascin-1 or filamin-A in adhered or confined cells .

Data Information

Availability: Plasmids Most plasmids were a kind gift from Michael Davidson (Florida State University) and are available from Addgene , as noted.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Antibodies for staining were used at 1:200 (paxillin , filamin , and fascin) , respectively , in blocking buffer for 2 h at RT .	paxillin , filamin , and fascin		
The following antibodies were used: rabbit anti-filamin-A (1:1000 Sigma-Aldrich HPA002925) , rabbit anti-fascin-1 (1:1000 Sigma-Aldrich HPA005723)	anti-filamin-A		
	anti-fascin-1		
), rabbit anti-paxillin (1:1000 Invitrogen 10029-1-IG), rabbit anti-cortactin (1:1000 Millipore-Sigma SAB4500766), mouse tropomyosin (1:1000 Millipore-Sigma T2780), rabbit anti-GAPDH (1:2000 Clone 14C10 Cell Signaling 2118S).	anti-cortactin		
	anti-GAPDH		
The secondary antibodies (HRP-conjugated goat anti-rabbit 1:10,000 111-035-003 HRP-conjugated anti-mouse 1:10,000 115-035-003) were from Jackson ImmunoResearch Laboratories. Statistics All statistical analysis was performed in Prism (GraphPad, San Diego, CA).	anti-rabbit		
	anti-mouse		
Experimental Models: Cell Lines			
MATERIALS AND METHODS Cell culture and transfection A375M and U2OS cells were obtained from the American Type Culture Collection (cat CRL-1619 ATCC, Manassas, VA) and maintained for up to 15 passages in DMEM supplemented with 10 fetal bovine serum (FBS, cat 508-540-7100 A3160401 Life Technologies, Carlsbad,	U2OS		Suggestion: RRID:CVCL_0042(link)
AFM A375M melanoma cells were plated on a glass-bottom dish (Willco Wells) with culture media solution (Life Technologies) .	AFM A375M		
Five successive force curves were performed on each A375M cell .	A375M		
Recombinant DNA			
FusionRed-F-Tractin was the gift of Michael Schell (Uniformed Services University of the Health Sciences) (Schell et al. , 2001) . pEGFP-N1 (Addgene plasmid 13031 http:n2t.netaddgene:13031	pEGFP-N1		Suggestion: RRID:Addgene_172284(link)

RRID:Addgene 13031) . mEmerald-Calnexin-N-14			
Software and Algorithms			
Cells were scored using the Fiji plug-in , Cell counter https:imagej . nih . govijpluginscell-counter . html .	Fiji		
Using the multi-line tool from Metamorph software (Molecular Devices , Sunnyvale , CA)	Metamorph		
The intensity line profiles for 488 and 561 nm channels for both body and bleb for all time points were stored in an Excel spreadsheet (Microsoft , Seattle , WA) that was loaded into Matlab (Mathworks , Natick , MA) for analysis with a script that performed the following tasks: 1) Extracted the intensities from the spreadsheet and stored them in a structure array where each element corresponded to an imaged cell .	Matlab		Suggestion: MATLAB (RRID:SCR_001622)(link)
Fluorescence intensity was calculated as the mean fluorescence intensity of the cytoplasm minus the background fluorescence calculated in Microsoft Excel .	Microsoft Excel		Suggestion: Microsoft Excel, RRID:SCR_016137(link)
Statistical analysis and plots were generated using GraphPad Prism .	GraphPad Prism		Suggestion: GraphPad Prism (RRID:SCR_002798)(link)
The secondary antibodies (HRP-conjugated goat anti-rabbit 1:10,000 111-035-003 HRP-conjugated anti-mouse 1:10,000 115-035-003) were from Jackson ImmunoResearch Laboratories. Statistics All statistical analysis was performed in Prism (GraphPad, San Diego, CA).	Prism		Suggestion: Meta-Prism (RRID:SCR_021836)(link)
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
As noted in each figure legend, statistical significance was determined by a two-tailed (unpaired) Students t test, F test, Mann-Whitney (Figure 6K), or one-way analysis of variance (ANOVA).	Students t test
	F test
	Mann-Whitney
	analysis of variance
	ANOVA
Unresolved RRIDs	
FusionRed-F-Tractin was the gift of Michael Schell (Uniformed Services University of the Health Sciences) (Schell et al. , 2001) . pEGFP-N1 (Addgene plasmid 13031 http:n2t.netaddgene:13031 RRID:Addgene 13031) . mEmerald-Calnexin-N-14	RRID:Addgene 13031
(Addgene plasmid 54021 https:n2t.netaddgene.54021RRID:Addgene 54021) . pmEmerald-MyosinIIA-C-18	RRID:Addgene 54021
(Addgene plasmid 54190 http:n2t.netaddgene:54190 RRID:Addgene 54190) . pmEmerald-Paxillin-22	RRID:Addgene 54190
(Addgene plasmid 54219 http:n2t.netaddgene:54219 RRID:Addgene 54219) . pmEmerald-H2B-C-10	RRID:Addgene 54219
(Addgene plasmid 54112 http:n2t.netaddgene:54112 RRID:Addgene 54112) .	RRID:Addgene 54112
(Addgene plasmid 86056 http:n2t.netaddgene:86056 RRID:Addgene 86056) . pmEmerald-Clathrin-15	RRID:Addgene 86056
(Addgene plasmid 54040 http:n2t.netaddgene:54040 RRID:Addgene 54040) . pmEmerald-Caveolin-C-10	RRID:Addgene 54040
(Addgene plasmid 54025 http:n2t.netaddgene:54025 RRID:Addgene 54025) . pmEmerald-Rab5a-7	RRID:Addgene 54025
(Addgene plasmid 54243 http:n2t.netaddgene:54243 RRID:Addgene 54243) . pmEmerald-Lysosomes-20	RRID:Addgene 54243
(Addgene plasmid 54149 http:n2t.netaddgene:54149 RRID:Addgene 54149) . pmEmerald-Calreticulin-C-10	RRID:Addgene 54149
(Addgene plasmid 54022 http:n2t.netaddgene:54022 RRID:Addgene 54022) . pmEmerald-SiT	RRID:Addgene 54022
(Addgene plasmid 54255 http:n2t.netaddgene:54255 RRID:Addgene 54255) . pmEmerald-PDHA	RRID:Addgene 54255
(Addgene plasmid 54224 http:n2t.netaddgene:54224 RRID:Addgene 54224) . pmEmerald-PMP-C-10	RRID:Addgene 54224

(Addgene plasmid 54235 http:n2t.netaddgene:54235 RRID:Addgene 54235) . pmEmerald-Gamma-Tubulin	RRID:Addgene 54235
(Addgene plasmid 54105 http:n2t.netaddgene:54105 RRID:Addgene 54105) .	RRID:Addgene 54105
(Addgene plasmid 26742 http:www.addgene.org26742 RRID:Addgene 26742) . pmEmerald-CLIP170-C-18	RRID:Addgene 26742
(Addgene plasmid 54043 http:n2t.netaddgene:54043 RRID:Addgene 54043) . pmEmerald-Vimentin-C-18	RRID:Addgene 54043
(Addgene plasmid 54051 http:n2t.netaddgene:54051 RRID:Addgene 54051) . pmEmerald-ARP3-N-12	RRID:Addgene 54051
(Addgene plasmid 53995 http:n2t.netaddgene:53995 RRID:Addgene 53995) . pmEmerald-Cortactin-C-12	RRID:Addgene 53995
(Addgene plasmid 54156 http:n2t.netaddgene:54156 RRID:Addgene 54156) . pmEmerald-VASP-5	RRID:Addgene 54156
(Addgene plasmid 54296 http:n2t.netaddgene:54296 RRID:Addgene 54296) . pmEmerald-MyosinIIB-C-18	RRID:Addgene 54296
(Addgene plasmid 54192 http:n2t.netaddgene:54192 RRID:Addgene 54192) . pmEmerald-alpha-Actinin-C-14	RRID:Addgene 54192
(Addgene plasmid 53989 http:n2t.netaddgene:53989 RRID:Addgene 53989) . pmEmerald-Fascin-C-10	RRID:Addgene 53989
(Addgene plasmid 54094 http:n2t.netaddgene:54094 RRID:Addgene 54094) . pmEmerald-FilaminA-N-9	RRID:Addgene 54094
(Addgene plasmid 54098 http:n2t.netaddgene:54098 RRID:Addgene 54098)	RRID:Addgene 54098

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq