SciScore: 5
What's this?

Document Identifier: **PMC8686123**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This study was approved by the Institutional Review Board of Konkuk University Hospital and was performed in accordance with the most recent (2008) revision of the Helsinki Declaration, and informed consent was obtained directly from all enrolled patients.
Consent: This study was approved by the Institutional Review Board of Konkuk University Hospital and was performed in accordance with the most recent (2008) revision of the Helsinki Declaration, and informed consent was obtained directly from all enrolled patients.
Inclusion and Exclusion Criteria
Patients with hepatocellular carcinoma or Child-Pugh classification C cirrhosis (Child-Pugh class score >= 10) were excluded.
Attrition
Of these, 17 patients whose varices were reduced to grade 01 according to EGD were prospectively followed up for 1 year without additional sessions of EVL.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
The largest CSA sizes of varices using HFIUS were estimated using ImageJ software (NIH, Bethesda, MD, United States).	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The primary end point of the study was the correlation between EGD grades and HFIUS measurements as measured by the Spearman correlation coefficient in 26 patients initially enrolled.	Spearman correlation
Statistical analysis Quantitative variables are expressed as the mean +- SD and were compared using Students t test.	t test
Qualitative variables were compared using the kh 2 test.	kh 2 test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq