Document Identifier: **PMC8689689**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
All experiments were performed in triplicate at three independent occasions.
Number: All experiments were performed in triplicate at three independent occasions.
Cell Line Authentication

not detected.

Code Information

Availability: The ALPaGA plasmid is available from Addgene (plasmid ID: 175272).

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Cell Lines			
SW480 Cell Culture and Spheroid Generation The human colorectal adenocarcinoma SW480 (CCL-228	SW480		Suggestion: RRID:CVCL_0546(link)
Recombinant DNA			
The ALPaGA plasmid is available from Addgene (plasmid ID: 175272).	ALPaGA		
Library Design and Plasmid Construction All the biosensor parts were built on the backbone pSB4K5, 53 containing a pSC101 origin of replication and a kanamycin resistance cassette.	pSC101		
74 We used the constitutive promoters J23101 and RBS_B0032 as our in vivo reference standard and placed superfolder GFP as a reporter gene in plasmid pSB4K5 .	pSB4K5		
Software and Algorithms			
The RBS library design was derived from the Anderson family with the following sequence: GAAAGACNRGARRC.	GAAAGACNRGARRC		
The cells were gated based on forward and side scatter graphs, and events on single-cell gates were selected and analyzed to remove debris from the analysis (Figure S10), by Flow-Jo (Treestar, Inc) software.	Flow-Jo		Suggestion: FlowJo, RRID:SCR_008520(link)
We quantify the geometric mean of fluorescence intensity (MFI) of the flow cytometry data and calculated RPUs according to the following equation 1 The goodness of fit and the EC50 for each data set were calculated by applying nonlinear regression using the agonist versus response variable slope function in GraphPad Prism .	GraphPad Prism		
Images were acquired at 24 , 48 h after l-lactate biosensor inoculation , and analyzed using Fiji software.	Fiji		

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq