Document Identifier: **PMC8719348**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Written informed consent was acquired from all participants and the study protocol was approved by the Institutional Review Board of the Samsung Medical Center (IRB No. 2018-02-050) 2.3 Randomization Consecutively recruited participants were randomly assigned to the intervention or control group.
IRB: Written informed consent was acquired from all participants and the study protocol was approved by the Institutional Review Board of the Samsung Medical Center (IRB No. 2018-02-050) 2.3 Randomization Consecutively recruited participants were randomly assigned to the intervention or control group.
Inclusion and Exclusion Criteria
The following inclusion criteria were applied: (1) individuals ≥60 years old; (2) literate with education years of 6 or higher; (3) Korean version of Mini-Mental State Examination (K-MMSE) score >23 10 ; (4) preserved activities of daily living (ADL), as defined by Korea Instrumental ADL ≤5 11 ; (5) no major neurological and psychiatric disorders affecting cognition or diagnosis of dementia; and (6) personal Android smartphone users for the purpose of using cognitive training application.
Attrition
Under the hypothesis that the standard deviation of scores (at baseline or 12 months and in the control or intervention group) was 15 , and the difference between changes of total score (from baseline to 12 month) of the two groups was five , 142 participants were required for each study group with a significance level set at 0.05 and with a power of 80 % to detect a significant difference.
Sex as a biological variable
not detected.
Subject Demographics
Age: The following inclusion criteria were applied: (1) individuals ≥60 years old; (2) literate with education years of 6 or higher; (3) Korean version of Mini-Mental State Examination (K-MMSE) score >23 10 ; (4) preserved activities of daily living (ADL), as defined by Korea Instrumental ADL ≤5 11 ; (5) no major neurological and psychiatric disorders affecting cognition or diagnosis of dementia; and (6) personal Android smartphone users for the purpose of using cognitive training application.
Randomization

2 METHODS 2.1 Study design This Application-based Cognitive Training at Home (ACTH) study was a single-center, randomized, single-masked, and parallel group study with the aim to investigate the effect of smartphone application-based cognitive training on cognition in community-dwelling elderly individuals.
Blinding
Cognition was assessed by two independent psychometricians who were blinded to participants' interventions, using a tablet-based cognitive test battery called Inbrain Cognitive Screening Test (
Power Analysis
Under the hypothesis that the standard deviation of scores (at baseline or 12 months and in the control or intervention group) was 15 , and the difference between changes of total score (from baseline to 12 month) of the two groups was five , 142 participants were required for each study group with a significance level set at 0.05 and with a power of 80 % to detect a significant difference.
Replication
Number: Cognition was assessed by two independent psychometricians who were blinded to participants' interventions, using a tablet-based cognitive test battery called Inbrain Cognitive Screening Test (
Protocol Information

Identifiers: This trial was registered at "ClnicalTrials.gov" as NCT03494699. 2.2 Participants We recruited community-dwelling non-demented volunteers at Gangnam Center for Dementia in Seoul, South Korea.	NCT03494699

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
All statistical analyses were performed using STATA version 15.0	STATA		Suggestion: Stata (RRID:SCR_012763)(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq