Document Identifier: **PMC8732788**

# SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

**Table 1: Rigor Adherence Table**

| |
|---|
| Ethics |
| not detected. |
| Inclusion and Exclusion Criteria |
| not required. |
| Attrition |
| not required. |
| Sex as a biological variable |
| Young adult female mice at the age of 6-8 weeks were used for experiments . |
| Subject Demographics |
| Age: Young adult female mice at the age of 6-8 weeks were used for experiments . |
| Randomization |
| not detected. |
| Blinding |
| not detected. |
| Power Analysis |
| not detected. |
| Replication |
| not required. |
| Code Information |
| Availability: Any additional information required to reanalyze the data reported in this paper is available from the lead contact upon request. |
| Data Information |

Availability: 2.1.3 Data and code availability Raw data from Figures 1 and 3 were deposited on Mendeley at https:doi.org10.17632fcngrmf29h.1.

**Table 2: Key Resources Table**

| Your Sentences | REAGENT or RESOURCE | SOURCE | IDENTIFIER |
|---|---|---|---|
| Experimental Models: Organisms/Strains | | | |
| Tph2-mhChR2-YFP transgenic mice were obtained from Jackson Laboratory ( https:www.jax.orgstrain014555). | Tph2-mhChR2-YFP | | |
| Software and Algorithms | | | |
| 2.1.3 Data and code availability Raw data from Figures 1 and 3 were deposited on Mendeley at https:doi.org10.17632fcngrmf29h.1. | Mendeley | | Suggestion: Mendeley (RRID:SCR_002750)( link) |
| All the statistical tests were performed by GraphPad Prism ( GraphPad Software , San Diego , CA , USA) . | GraphPad Prism | | |
| | GraphPad | | Suggestion: GraphPad Prism, RRID:SCR_002798( link) |
| Obtained images were loaded in ImageJ version 1.53e (Schneider et al., 2012) and converted to 8-bit images using the built-in function. | ImageJ | | Suggestion: ImageJ, RRID:SCR_003070( link) |

**Other Entities Detected**

| Your Sentences | Recognized Entity |
|---|---|
| Statistical Tests | |
| *p <= 0.05, **p <= 0.01, ***p <= 0.001, *1 p = 0.06 two-way repeated measures ANOVA and the Fishers LSD multiple comparison test, compared to the control group (i.e. ChR2+ Stim-) within the same experimental period, i.e. (duringpost-)stimulation. p <= 0.05, p <= 0.01, 1 p = 0.06 one-sample t-test, compared to the pre-stimulation value (= 0) in the same group. | ANOVA |
| | Fishers LSD multiple comparison test |
| | t-test |
| Further , effectiveness of BC on suppressing unspecific behavioral changes was assessed using a one-way Students t-test between normal pink dental cement and BC in the same genotypeexperimental group , i.e. ChR2+ Stim+ vs. ChR2+ Stim+ BC and ChR2- Stim+ vs. ChR2- Stim+ BC . | Students t-test |

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq