Document Identifier: **PMC8741506**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study was approved by the Ethics Committee of Sichuan Agricultural University according to The Regulation of Experimental Animal Management.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The anti-Flag tag monoclonal antibody, the anti-Myc tag monoclonal antibody and the anti-b-actin monoclonal antibody were purchased from Proteintech Co.,	The anti-Flag tag monoclonal		
	anti-Flag tag		
	anti-Myc tag		
	anti-b-actin		
The anti-HA monoclonal antibody was purchased from Boster Biological Technology Co.	anti-HA		
The other part of the proteins (500 mL) was added with anti-Flag antibody and incubated with protein G beads at 4degC overnight for immunoprecipitation.	anti-Flag		
After blocking with 5 milk in tris buffered saline (TBS) buffer containing 0.1 Tween for 90 min at room temperature, the membranes were reacted with corresponding primary antibodies for 12 h at 4degC, and then followed by horseradish peroxidase-conjugated goat anti-mouse IgG or goat anti-rabbit IgG at room temperature for 90 min.	anti-mouse IgG		
	anti-rabbit IgG		
Experimental Models: Cell Lines			
The HEK 293T cells (ATCC CRL-11268) were obtained from Fuheng Biology Co., Ltd (Shanghai, China), and cultured in DMEM with 10 FBS.	HEK 293T		Suggestion: RRID:CVCL_0063(link)
At 48 h post transfection, 293T cells were collected and the cellular total proteins were extracted using NP-40 lysis buffer.	293T		Suggestion: RRID:CVCL_0063(link)
Recombinant DNA			
The plasmids pET-32a(+) and pcDNA3.1(+) were obtained from Sangon Biotech Co., Ltd (Shanghai, China).	pET-32a(+		
	pcDNA3.1		Suggestion: RRID:Addgene_100544(link)
The pcDNA3.1-HA-Ub construction plasmid was purchased from Transvector Co.,	pcDNA3.1-HA-Ub		Suggestion: RRID:Addgene_136995(link)
Construction of Recombinant Plasmids The gene fragment of IBV PLpro was amplified from IBV-infected CEK cells by PCR with the addition of 6 x His and	pcDNA3.1 (+)		

Myc tag in primers respectively , and subsequently it was connected to the pET-32a(+) or pcDNA3.1 (+) expression vectors to build recombinant plasmids .			
Expression of IBV PLpro The pET-32a-IBV-PLpro recombinant plasmid was transformed into the E . coli BL21 (DE3) cells for protein expression .	pET-32a-IBV-PLpro		
Software and Algorithms			
The anti-HA monoclonal antibody was purchased from Boster Biological Technology Co.	Boster Biological		
Statistical Analysis Statistical analysis was performed using IBM SPSS 21 software.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
The data were visualized using GraphPad Prism 7 software and the statistically significant differences were set at (*) $P < 0.05$, (**) $P < 0.01$, (***) $P < 0.001$.	GraphPad Prism		Suggestion: GraphPad Prism (RRID:SCR_002798)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Data were analyzed to establish their significance using the students t test.	students t test
Oligonucleotides	
Table 1 Gene Sequences (5-3) Accession No. IBV N Forward: CAAAGGTGGAAGAAAACCAGT NC_001451.1 Reverse: ATTTAGTATCAGCACCCTTAGCAG TRAF6 Forward: CAATAGAAAGCACGTATGACC XM_015287208.2 Reverse: AGCATTACAGTAACTTGGCAT TAB1 Forward: TCAGCTCCAAACCGTTC NM_001006240.2 Reverse: ATCATAGCCATTGAAGACACC IKKb Forward: ACAGCCAAGAAATAGTACGG NM_001031397.1 Reverse: AGCATAAATGACTCGGACCT IL-1b Forward: CCCGCCTTCCGCTACACC NM_204524.1 Reverse: TGACTCCAGCACGAAGCAC IL-6 Forward: TAGAGAAAATCACCATGCACCT NM_204628.1 Reverse:	CAAAGGTGGAAGAAAACCAGT
	ATTTAGTATCAGCACCCTTAGCAG
	CAATAGAAAGCACGTATGACC
	AGCATTACAGTAACTTGGCAT
	TCAGCTCCAAACCGTTC
	ATCATAGCCATTGAAGACACC
	ACAGCCAAGAAATAGTACGG
	AGCATAAATGACTCGGACCT
	CCCGCCTTCCGCTACACC
	TGACTCCAGCACGAAGCAC
	TAGAGAAAATCACCATGCACCT
TNF-a Forward: GCCTATGCCAACAAGTACACC NM_204267.1 Reverse: ACGCTCCTGACTCATAGCAGA MDA5 Forward: ATGTATAAGGCCATTCGACRever se: TTCTTATATGTCTTACGCTGA AB371640.1 MAVS Forward: AACAACTCATCTCACGCCGAARev erse: TGAAATCAGAGCGATGCCAA MF289560.1 TRAF3 Forward: TAGATATAATTCAATGGCACT XM_015287827.2 Reverse: ACAATTATTGAAATGACACGAA IRF7 Forward: CGTATCTTCCGCATCCCTRevers e: GCCTTGAAGATCTCCACGTC	GCCTATGCCAACAAGTACACC
	ACGCTCCTGACTCATAGCAGA
	TTCTTATATGTCTTACGCTGA
	AACAACTCATCTCACGCCGAARev erse
	TAGATATAATTCAATGGCACT
	ACAATTATTGAAATGACACGAA
	GCCTTGAAGATCTCCACGTC
C KP096419.1 IFN-a Forward: CCTCGCAACCTTCACCReverse: AACCAGGCACGAGCTT KF923375.1 IFN-b Forward: TCCAGCTCCTTCAGAATACGGRev erse: ATGGCTGCTTGCTTCTTGTCC GU119897.1 b-actin Forward: CAACACAGTGCTGTCTGGTGGTAR everse: ATCGTACTCCTGCTTGCTGATCC NM_205518.1 Transfection and Co-Immunoprecipitation When the 293T	AACCAGGCACGAGCTT
	ATGGCTGCTTGCTTCTTGTCC
	CAACACAGTGCTGTCTGGTGGTAR everse

cells reached to 70 to 90 abundance, transfection was performed according to the Lipofectamine 3,000 instructions.	
Unresolved RRIDs	
TNF-a Forward: GCCTATGCCAACAAGTACACC NM_204267.1 Reverse: ACGCTCCTGACTCATAGCAGA MDA5 Forward: ATGTATAAGGCCATTCGACRever se: TTCTTATATGTCTTACGCTGA AB371640.1 MAVS Forward: AACAACTCATCTCACGCCGAARev erse: TGAAATCAGAGCGATGCCAA MF289560.1 TRAF3 Forward: TAGATATAATTCAATGGCACT XM_015287827.2 Reverse: ACAATTATTGAAATGACACGAA IRF7 Forward: CGTATCTTCCGCATCCCTRevers e: GCCTTGAAGATCTCCACGTC	AB371640.

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq