Document Identifier: **PMC8742637**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: METHODS The protocols and informed consent forms for three clinical studies were reviewed and approved by Health Canada and by Institutional Review Board Advarra (Canada).
IRB: METHODS The protocols and informed consent forms for three clinical studies were reviewed and approved by Health Canada and by Institutional Review Board Advarra (Canada).
Field Sample Permit: As BISO and RAMI may be administered without regard to meal and do not display a significant food effect, all three studies were conducted under fasting conditions.
Inclusion and Exclusion Criteria
Healthy adult nonsmoking male and female volunteers, aged 18 to 50 years (study 1 and study 2) and to 60 years (study 3) with a body mass index (BMI) between 18 and 30 kg/m2 (inclusively) were eligible to participate in these studies.
Attrition
not detected.
Sex as a biological variable
Healthy adult nonsmoking male and female volunteers, aged 18 to 50 years (study 1 and study 2) and to 60 years (study 3) with a body mass index (BMI) between 18 and 30 kg/m2 (inclusively) were eligible to participate in these studies.
Subject Demographics
Age: Healthy adult nonsmoking male and female volunteers, aged 18 to 50 years (study 1 and study 2) and to 60 years (study 3) with a body mass index (BMI) between 18 and 30 kg/m2 (inclusively) were eligible to participate in these studies.
Weight: Healthy adult nonsmoking male and female volunteers, aged 18 to 50 years (study 1 and study 2) and to 60 years (study 3) with a body mass index (BMI) between 18 and 30 kg/m2 (inclusively) were eligible to participate in these studies.
Randomization
Both studies were single center, randomized, open-label, laboratory-blinded, two-treatment, two-period, two-sequence, single dose crossover studies.

Blinding
not detected.
Power Analysis
Sample size For study 1 and study 2, a total of 64 enrolled subjects were anticipated to result in at least 60 completers, which would provide 90% power to show that the 90% confidence intervals (CIs) of the geometric mean ratios (GMRs) were contained within the acceptance range of 80.00% to 125.00%.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
PK statistical analysis PK parameters were calculated from plasma concentrations by noncompartmental analysis based on actual times using Phoenix WinNonlin version 8.0 (Certara, Princeton, NJ).	Phoenix		Suggestion: Phoenix (RRID:SCR_003163)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The natural logarithmic (ln) transformation of primary end points Cmax and AUC0-T for RAMI and BISO (study 1 and study 2) were used for inferential analysis using an analysis of variance (ANOVA) model, including subject effect (nested within sequence), treatment, period, as well as the sequence as fixed effect.	analysis of variance
	ANOVA

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq