Document Identifier: **PMC8748279**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: The Institutional Animal Care and Use Committees at Baylor College of Medicine and MD Anderson Cancer Center approved all animal experiments.
Euthanasia Agents: Animals were anesthetized with isoflurane gas and monitored during imaging to maintain normal breathing rates .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: At 10 to 12 days of age, animals were divided among 3 groups: sham, photon, and proton irradiation (see Figure E1 for an experimental timeline and for additional information).
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Primary antibodies were applied overnight for myelin basic protein (MBP , 1:500 , mouse , Abcam , Cambridge , UK) , glial fibrillary acidic protein (1:400 goat , CST , Danvers , MA) , and ionized calcium binding adaptor molecule 1 (1:400 goat , CST) .	myelin basic protein		
	MBP		
	glial fibrillary acidic protein		
	ionized calcium binding adaptor molecule 1		
Experimental Models: Organisms/Strains			
Methods and Materials Animals Male Sprague Dawley rat pups (n = 12-15group) were acquired with a mother (Envigo, Frederick, MD).	Sprague Dawley		Suggestion: RRID:RGD_70508(link)
Software and Algorithms			
Sections were imaged (20x , Nikon A1 , Tokyo , Japan) at the dentate gyrus , cortex , and corpus callosum , and analyzed using ImageJ software (v.1.50i , NIH) .	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Statistical analysis Statistical analyses were conducted using Prism 7 (Graph-Pad	Prism		Suggestion: Meta-Prism (RRID:SCR_021836)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
With multiple group comparison, a 1-way analysis of variance test was performed with Tukey correction with statistical significance was established at P <= .05.	analysis of variance test
	Tukey correction
22 Correlation analysis of imaging features and cognitive performance was performed using Pearsons correlation.	Pearsons correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq