Document Identifier: **PMC8748666**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Euthanasia Agents: For this process, truncal blood was collected into ice-cold ethylenediamine tetraacetic acid-containing tubes after decapitation, after which the tubes were centrifuged, and plasma samples were collected and stored at -20degC until analysis.
IACUC: Ethics statement The procedures used and the care of animals were approved by the Institutional Animal Care and Use Committee in Southwest Medi-Chem Institute (approval No. SEMI-20-001).
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
METHODS Animals and experimental design To obtain study animals, rats were bred using male and female Sprague-Dawley rats.
Subject Demographics
Age: The body weight of the animals was measured every 3 days from postnatal day (PND) 18 to the day of vaginal opening (VO).
Weight: The organ weight was then modified by body weight and presented as tissue weight per 150 g body weight.
Randomization
On day 18 after birth, we identified 15 immature females and randomly divided them into three groups: olfactory stimulation groups 1 and 2 and a control group (n = 5group).
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
METHODS Animals and experimental design To obtain study animals, rats were bred using male and female Sprague-Dawley rats.	Sprague-Dawley		Suggestion: RRID:RGD_70508(link)
Software and Algorithms			
Statistical analysis Data were presented as the mean +- standard deviation, and statistical analyses were performed using SPSS software (v.26.0 SPSS, Inc., Chicago, IL, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical significance was determined by Kruskal-Wallis test and one-way analysis of variance for multiple-group comparisons and Mann-Whitney U test for comparisons between two groups.	Kruskal-Wallis test
	analysis of variance
	Mann-Whitney U test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq