Document Identifier: **PMC8749384**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: 2 Materials and methods The protocol used in this study was approved by the Institutional Review Board (IRB; STUDY00005146) of the University of Georgia (Athens, GA, U.S.A).
Consent: After signing the consent form, the participants were led through a short five-point calibration test in which participants followed a dot with their eyes as it bounced around the screen.
Inclusion and Exclusion Criteria
Additionally, participants with eye surgery (such as corneal, cataract, or intraocular implants) or eye movement abnormalities (such as lazy eye, strabismus, or nystagmus) were excluded from the study.
Attrition
For Task-2, 287 participants were selected, and approximately 17 participants were eliminated from this analysis because of an error in the survey.
Sex as a biological variable
not detected.
Subject Demographics
Age: The flyer was published and distributed using emails, social media, and in-person with detailed directions for program participants (minimum 18-years or older) to a website that would allow them to sign up for a 15-min time screening slot to participate and complete the study.
Randomization
Participants were placed into complete randomized experimental groups.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Fig. 1 For Task 2, participants were shown NFP label generated with Genesis R&D software (Salem, OR, USA) with no accompanying packaging and were told it was a label for a package of donuts.	Genesis R&D		
All images were edited using Adobe Photoshop.	Adobe Photoshop		Suggestion: Adobe Photoshop, RRID:SCR_014199(link)
2.7 Statistical analysis Data were analyzed using STATA (Stata Corp., College Station, TX, USA).	STATA		Suggestion: Stata (RRID:SCR_012763)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
One-way ANOVA and Pearson's Chi-square tests were conducted to test for significant differences among goal and label groups for the distribution of age, gender, education level, and ethnicity.	ANOVA
	Pearson's Chi-square tests
One-way analysis of variance (ANOVA) was used to determine any statistically significant differences among the mean values of two or more independent groups.	analysis of variance
Pearson's Chi-Square Test, which tests sets of categorical variables to evaluate how likely differences occur by chance, was used to analyze the larger sets of data with no dependent variables.	Pearson's Chi-Square Test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq