Document Identifier: **PMC8754459**

# SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

**Table 1: Rigor Adherence Table**

| |
|---|
| Ethics |
| not required. |
| Inclusion and Exclusion Criteria |
| The exclusion criteria included age below 40 years, high refractive errors (spherical refraction >6 diopters and cylinder correction >3 diopters), corneal disease, contact lens wear, shallow anterior chamber (Van Herick grading <3), uncontrolled GAT-IOP (>21 mmHg), previous glaucoma or refractive surgery, any ophthalmic surgery in the last 6 months, and a quality score (QS) other than “OK” in Corvis ST. |
| Attrition |
| not required. |
| Sex as a biological variable |
| not detected. |
| Subject Demographics |
| Age: not required. |
| Weight: not required. |
| Randomization |
| not detected. |
| Blinding |
| not detected. |
| Power Analysis |
| not detected. |
| Replication |
| not required. |
| Cell Line Authentication |

Authentication: GAT-IOP was corrected for CCT (GAT-IOPadj) based on the validated Ehler’s correction algorithm.

**Table 2: Key Resources Table**

| Your Sentences | REAGENT or RESOURCE | SOURCE | IDENTIFIER |
|---|---|---|---|
| Software and Algorithms | | | |
| All statistical analyses were performed using IBM SPSS® software, version 22.0 (SPSS, Inc, Chicago, IL). | SPSS | | Suggestion: SPSS, RRID:SCR_002865( link) |

**Other Entities Detected**

| Your Sentences | Recognized Entity |
|---|---|
| Statistical Tests | |
| Shapiro–Wilk test, Kolmogorov–Smirnov test and normal probability plots were used to confirm the normal distribution of the data. | Shapiro–Wilk test |
| | Kolmogorov–Smirnov test |
| Differences among the study groups were evaluated with the use of an analysis of variance (ANOVA) model, followed by the post hoc Bonferroni test when the findings with the ANOVA model were significant and equal variances assumed. | analysis of variance |
| | ANOVA |
| | Bonferroni test |
| When equal variances were not assumed, the significance was tested with Welch's t-test, followed by the post hoc Games–Howell test. | Welch's t-test |
| | Games–Howell test |
| For nonparametric variables, Kruskal–Wallis test was conducted and significant values were adjusted with the Bonferroni correction, using Dunn post-test. | Kruskal–Wallis test |
| | Bonferroni |
| | Dunn post-test |

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq