Document Identifier: **PMC8755389**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: MATERIALS AND METHODS Sample Collection and Preparation Serum samples obtained from 50 inpatients admitted to Nottingham University Hospitals National Health Service (NHS) Trust Queens Medical Centre with symptomatic reverse-transcription polymerase chain reaction-confirmed SARS-CoV-2 infection were collected as diagnostic specimens for clinical chemistry testing.
IACUC: Review by the University of Nottinghams School of Life Sciences Ethical Review Committee deemed the study to not require full ethical review.
IRB: Ethical approval was obtained from the Research Ethics Committee (reference number 18EM0154) and the HRA (protocol number 18021).
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The median time between sample collection for CRP measurement and collection of serum for the measurement of bioactive lipids, anti-nucleocapsid, and anti-spike antibody binding was 5 days.	anti-nucleocapsid,		
	anti-spike		
Software and Algorithms			
Data Analysis GraphPad Prism (version 8.2.1) was used.	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)
Multivariate analysis using Metaboanalyst 4.0 (https:www.metaboanalyst.ca) 33 including principal component analysis was performed.	Metaboanalyst		Suggestion: MetaboAnalyst (RRID:SCR_015539)(link)
	https:www.metaboanalyst.ca		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Groups were assessed for normal distribution using DAgostino-Pearson test and evaluated for significant changes between groups using Kruskal-Wallis test with multiple comparisons corrected for using Dunn test.	DAgostino-Pearson test
	Kruskal-Wallis test
	Dunn test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq