Document Identifier: **PMC8757346**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: Animals All experiments were carried out in accordance with the animal care guidelines of Kyorin University and the study protocol was approved by the University's ethics committee (approval no. 207).
IRB: Animals All experiments were carried out in accordance with the animal care guidelines of Kyorin University and the study protocol was approved by the University's ethics committee (approval no. 207).
Euthanasia Agents: At the end of study, the mice were euthanized by carbon dioxide asphyxiation. 2.3.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Male CD1 mice at 8 weeks of age (Nippon SLC, Shizuoka, Japan) were used in this study.
Subject Demographics
Age: Male CD1 mice at 8 weeks of age (Nippon SLC, Shizuoka, Japan) were used in this study.
Randomization
5 fields of view at 2,500× magnification were randomly captured for each sample.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
Male CD1 mice at 8 weeks of age (Nippon SLC, Shizuoka, Japan) were used in this study.	CD1		
Software and Algorithms			
Image J software Version1.52 (NIH, Bethesda, MD, USA) was used to perform morphometric analysis of intermyofibrillar mitochondria using the cell counter analysis plugin. 2.4.	Image J		Suggestion: ImageJ, RRID:SCR_003070(link)
All the data were analyzed by using GraphPad Prism 7.0 and are expressed as means ± SEM.	GraphPad Prism		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis To analyze the effects of CLP at different time points, the data were compared with one-way ANOVA followed by Bonferroni test for multiple comparison.	ANOVA
	Bonferroni test
Log rank test was used to compare survival between the groups in the Kaplan–Meier survival curves.	Log rank test
Oligonucleotides	
The primers were designed to target COX3 (Forward: 5#-CGTGAAGGAAACTACCCAGG-3#; Reverse: 3#-CGCTCAGAAGAATCCTGCAA-5#) [21] and ND4 (Forward: 5#-ATTATTATTACCCGATGAGGG AACC-3#; Reverse: 3#-ATTAAGATGAGGGCAATTAGC AGT-5#) [22] (Sigma-Aldrich). 2.5.	5#-CGTGAAGGAAACTACCCAGG- 3#
	3#-CGCTCAGAAGAATCCTGCAA- 5#
	5#-ATTATTATTACCCGATGAGGG AACC-3#
	3#-ATTAAGATGAGGGCAATTAGC AGT-5#

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq