Document Identifier: **PMC8759108**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Tissue samples The present study was approved (approval no. xs2020ky014) by the Ethics Committee of Xishan Peoples Hospital of Wuxi City (Wuxi , China) .
Field Sample Permit: Cell culture and in vitro transfection The human prostate cancer DU145 (serial cat. no. TCHu222) and PC-3 (serial cat. no. TCHu158) cell lines were purchased from The Cell Bank of Type Culture Collection of The Chinese Academy of Sciences .
Inclusion and Exclusion Criteria
The inclusion criteria were tissue samples collected from patients who had not undergone androgen deprivation therapy , chemotherapy , radiotherapy , or other auxiliary treatment prior to surgery .
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: All patients (mean age , 74 years range , 68-79 years) were treated with radical prostatectomy between January 2021 and July 2021 , and consents were obtained orally .
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
A total of 3 replicate wells were used for each group .

Cell Line Authentication	
Authentication: Colonies were observed using a light microscope and the number of colonies was counted by visual inspection .	
Data Information	
Identifiers: In the GSE27616 dataset (20), four normal prostate and nine cancerous prostate samples were analyzed.	GSE27616
Identifiers: In the GSE3325 dataset (21), six normal prostate and 13 cancerous prostate samples were analyzed.	GSE3325

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The following antibodies were used: Mouse monoclonal anti-GAPDH (1:2,000 cat. no. 33033M BIOSS) , rabbit polyclonal anti-CDCA3 (1:1,000 cat. no. YT0819) , rabbit polyclonal anti-cleaved caspase-3 (1:1,000 cat. no. YC0006) , rabbit polyclonal anti-pro-caspase-3 (1:1,000 cat. no. YT6113) , and rabbit polyclonal anti-cyclin-dependent kinase inhibitor 1 (p21 1:1,000 cat. no. YT3497 all from Immunoway Biotechnology Company) , rabbit polyclonal anti-cyclin D1 (1:1,000 cat. no. 0623R BIOSS)	anti-GAPDH		
	anti-CDCA3		
	anti-cleaved caspase-3		
	anti-pro-caspase-3		
	anti-cyclin-dependent kinase inhibitor 1		
	p21		
	anti-cyclin D1		
, HRP-labeled goat anti-rabbit secondary antibody (1:5,000 cat. no. 40295G-HRP BIOSS) and HRP-labeled goat anti-mouse secondary antibody (1:5,000 cat. no. 0368G-HRP BIOSS).	anti-rabbit		
	anti-mouse		
Experimental Models: Cell Lines			
Cell viability assay DU145 and PC-3 cells were seeded at 200,000 cellswell into 6-well plates and cultured in RPMI-1640 medium containing 10 FBS at 37degC with 5 CO2 overnight for transfection .	PC-3		Suggestion: RRID:CVCL_0035(link)
Colony formation assay DU145 and PC-3 cells in the logarithmic growth phase were collected and 1,000 cellswell were seeded into a 6-well plate.	DU145		Suggestion: RRID:CVCL_0105(link)
Software and Algorithms			
Materials and methods Microarray analysis Gene expression profiling datasets for prostate cancer were analyzed using the Gene Expression Omnibus (GEO http:www.ncbi.nlm.nih.govgeogeo2r) database.	Gene Expression Omnibus		Suggestion: Gene Expression Omnibus (GEO) (RRID:SCR_005012)(link)
UALCAN (http:ualcan . path . uab . eduanalysis . html) is a web portal based on level 3 RNA-seq and clinical data from 31 cancer types in The Cancer Genome Atlas (TCGA) database (23) .	UALCAN		Suggestion: UALCAN (RRID:SCR_015827)(link)

DEGs were used to construct a STRING database , whereby an interaction with a combined score of >0.4 was considered to be statistically significant .	STRING		
CytoHubba in Cytoscape was applied to screen the hub genes ranked by the MCC method (24) .	Cytoscape		Suggestion: Cytoscape (RRID:SCR_003032)(link)
Disease-free survival (DFS) of patients with prostate cancer was analyzed using the Gene Expression Profiling Interactive Analysis (GEPIA http:gepia . cancer-pku . cndetail) database.	Gene Expression Profiling Interactive Analysis		Suggestion: Gene Expression Profiling Interactive Analysis (RRID:SCR_018294)(link)
Statistical analysis The softwares SPSS 17.0 (SPSS, Inc.) and ImageJ 1.8.0 (National Institutes of Health) were used to carry out statistical analysis.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
A two-tailed unpaired Students t-test was used to analyze statistical differences between two groups.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq