Document Identifier: **PMC8762141**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: CliniMACS Prodigy immunomagnetic CMV-specific T cell enrichment after CMVpp65 stimulation Leukapheresis products were obtained from healthy donors using protocols approved by the City of Hope Institutional Review Board or purchased from StemCell Technologies .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Statistical analysis Mean+-SD of replicate samples are presented.
Cell Line Authentication

Authentication: Banks of all cell lines were authenticated for the desired antigenmarker expression by flow cytometry prior to cryopreservation and thawed cells were cultured for less than 6 weeks prior to use in assays .	
Protocol Information	
Identifiers: Generation of CMV-CD19CAR T cells After overnight incubation in RPMI medium containing 10 human AB serum (Gemini Bio Products) , IL-2 (50 UmL) and IL-15 (1 ngmL) , recovered IFNg+cells (1 x 106) were transduced at multiplicity of infection (MOI) 3 with current good manufacturing practice (cGMP) grade CD19CAR lentivirus that is used in current clinical trials (NCT02146924 and NCT02153580) .	NCT02146924 NCT02153580

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Methods Antibodies and flow cytometry Human peripheral blood mononuclear cells (PBMCs) and T cells were analyzed by flow cytometry after staining with fluorochrome-conjugated monoclonal antibodies (mAbs) against CD3 (clone Leu-4), CD4 (clone SK3), CD8 (clone RPA-T8)	CD3		
	CD4		
	CD8		
Antibodies against killer cell lectin-like receptor G1 (KLRG1) (clone 2F1) , Tim3 (clone F38-2E2) and epidermal growth factor receptor (EGFR) (clone AY13) were purchased from BioLegend.	KLRG1		
	Tim3		
The anti-LAG3 (Catalog No. LS-C130398) and anti-PD1 (MIH4) antibodies were from Lifespan Biosciences and eBiosciences , respectively .	anti-LAG3		
	anti-PD1		
	MIH4		
The cell mixture was stained with either anti-CD8 and anti-EGFR antibodies or biotinylated cetuximab and streptavidin to analyze surface expression of CD8 and CAR , respectively .	anti-EGFR		
After fixation , the cells were stained with an anti-IFNg antibody and analyzed using multicolor flow cytometry on MACSQuant (Miltenyi Biotec)	anti-IFNg		
Experimental Models: Cell Lines			
Cell lines EBV-transformed lymphoblastoid cell lines (LCLs) were made from PBMCs as previously described.	lymphoblastoid		
Recombinant DNA			
17 To generate muromonab-CD3 (OKT3)-expressing LCLs , LCLs were resuspended in nucleofection solution using the Amaxa Nucleofector kit T , OKT3-2A-Hygromycin_pEK plasmid was added to 5 ug107 cells , the cells were electroporated using the Amaxa Nucleofector I , and the resulting cells were grown in Roswell Park Memorial Institute (	OKT3-2A-Hygromycin_pEK		

Standards were made for VSV-G using pCMV-G plasmid at the concentrations 1x105, 1x104, 1x103, 1x102, and 10 copiesuL.	VSV-G		
	pCMV-G		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
We used unpaired T tests for statistical analysis of cytokine production and cytolytic activity assays.	T tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq