Document Identifier: **PMC8767125**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: The study conforms to the ethical guidelines of the 1975 Declaration of Helsinki and was approved by the Helsinki University Hospital ethics board for women, children, and psychiatry (269/13/03/03/2015/227).
IRB: The study conforms to the ethical guidelines of the 1975 Declaration of Helsinki and was approved by the Helsinki University Hospital ethics board for women, children, and psychiatry (269/13/03/03/2015/227).
Consent: Informed consent was obtained at recruitment.
Inclusion and Exclusion Criteria
None of the contacted MUL patients declined participation, and none was excluded.
Attrition
None of the contacted MUL patients declined participation, and none was excluded.
Sex as a biological variable
The study conforms to the ethical guidelines of the 1975 Declaration of Helsinki and was approved by the Helsinki University Hospital ethics board for women, children, and psychiatry (269/13/03/03/2015/227).
Subject Demographics
Age: The study included 23 pediatric MUL patients aged 1-16 years, alive in Finland in the period 2015-2017.
Randomization
not detected.
Blinding
Measurements (see Supplemental Appendix S1 for details) were performed offline, with the operator blinded for subject background and clinical characteristics using EchoPac (version 113; GE Healthcare, Finland).
Power Analysis
Sample size calculations and power analyses were not applicable, as the MUL condition is rare, and the aim was to include the complete Finnish pediatric MUL cohort.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Data analyses were performed with SPSS version 24 (IBM, Finland).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Continuous variables were assessed for normal distribution using the Shapiro-Wilks test.	Shapiro-Wilks test
Group-wise comparisons were performed using the independent Student t test for normally distributed variables, the Mann-Whitney U test for non-normally distributed variables, and Fisher's exact test for binominal variables.	t test
	Mann-Whitney U test
	Fisher's exact test
Group differences on cardiac dimensions were compared using analysis of covariance, adjusting for anthropometry as indicated.	analysis of covariance
Associations between different parameters were assessed with scatter plots and statistical testing with Pearson correlation and Spearman rank-order correlation, as appropriate.	Pearson correlation
	Spearman rank-order correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq