Document Identifier: **PMC8783040**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Finally, the membranes were detected by Odyssey Infrared Imaging System. 2.14 MRI of PDAFe and PDA-ALNFe in bone tumor mice All animal experiments were approved by the Ethics Committee of the General Hospital of the Chinese Peoples Liberation Army and followed the National Institutes of Health guidelines.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Four-week-old BALBc nude mice purchasing from SLAC (Shanghai, China) were injected with 143B-Luc cells in the cavum medullare of tibias.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication

not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The primary antibodies, including anti-NFATc1 and anti-TRAF3, were purchased from Abcam (Cambridge, UK).	anti-NFATc1		
	anti-TRAF3		
Experimental Models: Cell Lines			
2.8 Cell culture NIH3T3 cells (ATCC), 143B cells (ATCC) and U2OS cells (ATCC) were cultured in DMEM medium (GIBCO) with 10 FBS (GIBCO) and 5 CO2 at 37 degC.	NIH3T3		Suggestion: RRID:CVCL_0594(link)
	143B		Suggestion: RRID:CVCL_2270(link)
2.10 AOEB staining assay The 143B and U2OS cells were seeded in a 96-well plate and treated with different treatments incubating for 48 h, then stained by AOEB dye for 5 min.	U2OS		Suggestion: RRID:CVCL_0042(link)
Experimental Models: Organisms/Strains			
Four-week-old BALBc nude mice purchasing from SLAC (Shanghai, China) were injected with 143B-Luc cells in the cavum medullare of tibias.	BALBc nude		
Software and Algorithms			
2.8 Cell culture NIH3T3 cells (ATCC), 143B cells (ATCC) and U2OS cells (ATCC) were cultured in DMEM medium (GIBCO) with 10 FBS (GIBCO) and 5 CO2 at 37 degC.	GIBCO		
Repeat the administration and irradiation twice in the following four days.	Repeat		
2.19 Statistical analysis The data presented as the mean +- SD were analyzed by Prism 7 software.	Prism		Suggestion: Meta-Prism (RRID:SCR_021836)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical significance between two samples was determined with two-tailed Students t-tests.	Students t-tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq