Document Identifier: **PMC8784348**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: The field experiments were conducted at the experimental station of Northwest A&F University in Yangling (108°E, 34°15#N), Shaanxi, China, during the autumn-summer growing seasons from 2016 to 2018.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
To compare the in vitro enzyme activity of AHAS and expression of AHAS in male fertile and sterile plants, the means of the results were analyzed using Student’s t-test (*P < 0.05; **P < 0.01).
Subject Demographics
Age: not required.
Weight: not required.
Randomization
The plots were arranged in a randomized block design.
Blinding
not detected.
Power Analysis
not detected.
Replication
Each treatment was replicated three times.
Number: Each treatment was replicated three times.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis for significant All statistical analyses were performed using Microsoft Excel 2010 software.	Microsoft Excel		Suggestion: Microsoft Excel, RRID:SCR_016137(link)
Variance analysis of the observed floral and agronomical traits among different treatments was conducted using the General Linear Model-Univariate program in the SPSS software (version 11.0; SPSS Inc., 2001) and a two-way ANOVA (OriginPro 2019 software), and comparison of traits was conducted by Duncan's multiple range test.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
	OriginPro		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Variance analysis of the observed floral and agronomical traits among different treatments was conducted using the General Linear Model-Univariate program in the SPSS software (version 11.0; SPSS Inc., 2001) and a two-way ANOVA (OriginPro 2019 software), and comparison of traits was conducted by Duncan's multiple range test.	ANOVA
	Duncan's multiple range test
To compare the in vitro enzyme activity of AHAS and expression of AHAS in male fertile and sterile plants, the means of the results were analyzed using Student's t-test (*P < 0.05; **P < 0.01).	t-test
Oligonucleotides	
The primer combinations G309-forward (5#-GCTAACAGAGCTCACACTTA TC-3#) and Y309-reverse (5#-TCGGAGTTCTTCTTTCTTCG TCAC-3#) were designed based on the conserved region of the coding sequence (CDS) of two functional B. juncea AHAS orthologs (BjuA005211, BjuA040229) (Yang et al. 2016).	5#-GCTAACAGAGCTCACACTTAT C-3#
	5#-TCGGAGTTCTTCTTTCTTCGT CAC-3#
The primer sets G306-forward (5#-GAAGACATGTTCCATTGGCA -3#) and Y306-reverse (5#-ACACCTTAGTCCTAAAAGCC ACCT-3#) for BjuUBQ9 were described by Chandna et al. (2012).	5#-GAAGACATGTTCCATTGGCA- 3#
	5#-ACACCTTAGTCCTAAAAGCCA CCT-3#

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq