Document Identifier: **PMC8787843**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Dyads gave informed spoken and written consent for participation in the parent trial as described in the protocol.
Inclusion and Exclusion Criteria
Participants Dyads were eligible for inclusion in the parent trial if the persons with dementia were: ≥65 years, diagnosed with dementia (with Mini-Mental Status Examination (MMSE) score 15–26 or Functional Assessment Staging (FAST) score 3–7)14 15; home-dwelling in one of three Norwegian municipalities; and had weekly face-to-face contact with the informal carer.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Participants Dyads were eligible for inclusion in the parent trial if the persons with dementia were: ≥65 years, diagnosed with dementia (with Mini-Mental Status Examination (MMSE) score 15–26 or Functional Assessment Staging (FAST) score 3–7)14 15; home-dwelling in one of three Norwegian municipalities; and had weekly face-to-face contact with the informal carer.
Randomization
Setting The parent trial is a stepped-wedge randomised controlled trial.
Blinding
Trained data collectors blindly assessed all dyads in direct conversation every 6 months for 2 years (2019–2021).
Power Analysis
not detected.
Replication

not required.	
Data Information	
Identifiers: 10.1136/bmjopen-2021-050628.supp1 Supplementary data Figure 1 The parent trial, LIVE@Home.Path, including PAN.DEM.	10.1136/bmjopen-2021-050628.supp1

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
25 Psychotropic drugs included antipsychotic (N05A), anxiolytic (N05B), hypnotic and sedative (N05C), antidepressant (N06A) and antiementia drugs (N06D) by ATC.	ATC		
We used Stata/IC, release V.16 (StataCorp) for all analyses.	StataCorp		Suggestion: Stata, RRID:SCR_012763(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
We used the Wilcoxon matched-pairs signed-rank test to assess change between the prepandemic and pandemic assessments.	Wilcoxon matched-pairs signed-rank test
Selected models were then checked for multicollinearity, robustness and goodness-of-fit by Pearson and Hosmer-Lemeshow test.	Pearson and Hosmer-Lemeshow test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq