Document Identifier: **PMC8790268**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Prior to study, all participating women were informed about the nature of the study and a written informed consent was obtained.
IRB: The study protocol was approved by the Dokuz Eylul University Ethics Committee (Date: 4.11.2016-No: 2958-GOA).
Inclusion and Exclusion Criteria
Exclusion criteria were as follows: having a diagnosis of metastatic cancer, diagnosis of lymphedema due to another health problem, presence of a health problem on the operated side causing motor function loss, and presence of cognitive disorders.
Attrition
17 There were 154 patients with active lymphedema and 32 patients with latent lymphedema.
Sex as a biological variable
Prior to study, all participating women were informed about the nature of the study and a written informed consent was obtained.
Subject Demographics
Age: The study population included patients with BCRL who were aged 18 years or older, had Turkish literacy, completed all cancer therapies, and voluntarily accepted to participate in the study.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis Statistical analysis was performed using the IBM SPSS for Windows version 24.0 (IBM Corp., Armonk, NY, USA) and IBM SPSS AMOS version 22.0 (IBM Corp., Armonk, NY, USA) software packages.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
To test reliability of the scale, Kuder Richardson-20 (KR-20), Cronbach alpha (a), Spearman Brown coefficients and item analysis comparing the high-low 27 mean scores and parallel forms reliability were employed.	Spearman Brown coefficients
To determine whether data about continuous variables was normally distributed, the Kolmogorov-Smirnov test was utilized.	Kolmogorov-Smirnov test
The relationship between the scores for LSIDS-A and FACT-B+4 was examined by Pearson correlation test.	Pearson correlation test
The difference in the mean scores for LSIDS-A between the women with and without was tested by the Students t-test.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq