Document Identifier: **PMC8791772**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
In total, 30 44-week-old male (4,422±122 g BW) and 150 44-week-old female (3,557±141 g BW) local inbred strain RC breeders were used.
Subject Demographics
Age: In total, 30 44-week-old male (4,422±122 g BW) and 150 44-week-old female (3,557±141 g BW) local inbred strain RC breeders were used.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical Analysis Data are expressed as the mean and standard error of mean calculated using the general linear model (GLM) in the SAS statistical package (version 9.4; SAS Institute Inc .	SAS		
	SAS Institute		Suggestion: Statistical Analysis System, RRID:SCR_008567(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
One-way analysis of variance (ANOVA) was used to compare means between experimental and control groups.	analysis of variance
	ANOVA
Tukey post-hoc tests were performed to determine significant differences between the experimental groups and the control group.	Tukey post-hoc tests
The Kruskal–Wallis nonparametric test was applied to analyze the effects of diets on fertilization and hatching rates.	Kruskal–Wallis nonparametric test
Correlations of age (independent variable) with the investigated (dependent) variables were determined using Pearson's r values.	Pearson's

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq