Document Identifier: **PMC8797330**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This study was approved by the Ethics Committee of Guangdong Provincial Peoples Hospital (No. GDRE2016429H) and was carried out in adherence with the Declaration of Helsinki (as revised in 2013).
Consent: All patients involved in the study provided written informed consent.
Inclusion and Exclusion Criteria
Participants Patients were eligible if they were aged 18-70 years old, underwent elective laparoscopic gastrointestinal surgery, and if the operation time did not exceed six hours.
Attrition
With an expulsion rate of 20 and a specific expected rejection rate of 6, 92 patients were enrolled in one group for the study.
Sex as a biological variable
Exclusion criteria included pregnant or lactating women, emergency surgery, extensive metastases of intra-abdominal gastrointestinal tumors or extensive intra-abdominal adhesions, severe abdominal infections, acute complete intestinal obstruction, required colostomy or small intestine ostomy that did not allow for evaluation of bowel exhaust or defecation, severe cardiovascular and haematopoietic diseases, diabetes with poor glycaemic control (fasting blood glucose >8 mmolL), alanine aminotransferase (ALT) > normal upper limit 1.5 times or creatinine (CREA) > normal upper limit, body mass index (BMI >30 or <15), pacemakers, artificial stents and artificial valves, severe complications or serious infections or unconsciousness on the first postoperative day, use of drugs that affected gastrointestinal motility within one week before surgery, and inclusion in another trial within 4 weeks prior to enrolment.
Subject Demographics
Age: Participants Patients were eligible if they were aged 18-70 years old, underwent elective laparoscopic gastrointestinal surgery, and if the operation time did not exceed six hours.
Randomization
Methods Study design and setting This single-center and parallel randomized controlled clinical trial took place in the Department of General Surgery of Guangdong Provincial Peoples Hospital, Guangdong Academy of Medical Sciences in Guangzhou, China.
Blinding

Surgeons who performed the surgery were unaware of treatment allocation throughout the trial.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Sample size estimation and randomization Sample size estimation was performed according to the superiority trial design by PASS 11 software.	PASS		Suggestion: PASS (RRID:SCR_005490)(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq