Document Identifier: **PMC8798460**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Methods Inclusion criteria include the following: (I) patients who had single or multiple nodules and pleural effusions in the lungs as demonstrated by preoperative enhanced chest CT scan, were immune to the regular anti-infective treatment (II) patients suspected of lung cancer based on comprehensive analysis of the patients medical history and auxiliary examination results (III) patients have completed general preoperative examination to exclude contraindications related to lung biopsy (IV) patients and family members were told the risk of operation and have signed informed consent before surgery.
IRB: The study was approved by ethics board of the Fifth Hospital of Xiamen (NO.:2020-XMSDWYY-002) and informed consent was taken from all individual participants.
Inclusion and Exclusion Criteria
Methods Inclusion criteria include the following: (I) patients who had single or multiple nodules and pleural effusions in the lungs as demonstrated by preoperative enhanced chest CT scan, were immune to the regular anti-infective treatment (II) patients suspected of lung cancer based on comprehensive analysis of the patients medical history and auxiliary examination results (III) patients have completed general preoperative examination to exclude contraindications related to lung biopsy (IV) patients and family members were told the risk of operation and have signed informed consent before surgery.
Attrition
Thirty-eight patients with suspected lung cancer, who had pulmonary space-occupying lesions, were enrolled at the Fifth Hospital of Xiamen from August 2019 to July 2020 (28 males and 10 females, 43-89 years of age, average age: 67.32 years).
Sex as a biological variable
Thirty-eight patients with suspected lung cancer, who had pulmonary space-occupying lesions, were enrolled at the Fifth Hospital of Xiamen from August 2019 to July 2020 (28 males and 10 females, 43-89 years of age, average age: 67.32 years).
Subject Demographics
Age: Thirty-eight patients with suspected lung cancer, who had pulmonary space-occupying lesions, were enrolled at the Fifth Hospital of Xiamen from August 2019 to July 2020 (28 males and 10 females, 43-89 years of age, average age: 67.32 years).
Randomization
not detected.

Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis SPSS version 22.0 (IBM, Armonk, NY, USA) was used for the statistical analysis, and t-test was used to compare the count data.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis SPSS version 22.0 (IBM, Armonk, NY, USA) was used for the statistical analysis, and t-test was used to compare the count data.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq