Document Identifier: **PMC8799141**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: All the tumor tissue donors knew about the experiment and signed the informed consent .
IRB: The study was approved by the ethnical committee of Shanghai International Medical Center (SIMC-EC-2019-03) and informed consent was taken from all the patients.
Inclusion and Exclusion Criteria
The inclusion of patients follows the following principles: Enrollment criteria: (I) simple invasive breast cancer patients , no other systemic diseases (II) 20-80 years old (III) good awareness , able to communicate with researchers (IV) preoperative chemotherapy , radiotherapy and other anti-tumor therapy were not performed.
Attrition
not detected.
Sex as a biological variable
Animals Nude mice (BALBC, female, about 3 weeks of age) were employed and raised under SPF conditions.
Subject Demographics
Age: The inclusion of patients follows the following principles: Enrollment criteria: (I) simple invasive breast cancer patients , no other systemic diseases (II) 20-80 years old (III) good awareness , able to communicate with researchers (IV) preoperative chemotherapy , radiotherapy and other anti-tumor therapy were not performed.
Randomization
Mice were randomly assigned into three independent groups (4 mice in each group), control group, PcTx-1 group (10 ngkg, tail vein injection, every day for 7 days), ASIC1a siRNA group (MCF-7 cells or MDA-MB-231 cells were transfected with ASIC1a siRNA, and then injected into the mammary fat pad of nude mice).
Blinding
not detected.
Power Analysis

not detected.
Replication
The viability of the cells was assessed from three replicates in three independent experiments by the MTT .
Number: The viability of the cells was assessed from three replicates in three independent experiments by the MTT .
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Reagents The antibodies used: anti-b-actin, anti-ASIC1a were from Abcam (Cambridge, UK), other antibodies were purchased from Beyotime (Shanghai, China).	anti-b-actin		
	anti-ASIC1a		
The protein blots were visualized using secondary HRP-conjugated anti-rabbit or anti-mouse antibodies and BeyoECL Plus (P0018 , Beyotime) .	anti-rabbit		
	anti-mouse		
Experimental Models: Cell Lines			
Methods Cell lines Breast cancer cell lines MCF-7 and MDA-MB-231were obtained from Cell Bank of Type Culture Collection of Chinese Academy of Sciences (Shanghai, China) and cultured in Dulbeccos Modified Eagles Medium (DMEM, Gibco, USA) supplemented with 10 FBS (HyClone, USA).	MCF-7		Suggestion: RRID:CVCL_0031(link)
For orthotopic implantation, 5x107 MCF-7 cells or MDA-MB-231 cells suspended in 100 uL PBS were injected into the mammary fat pad of nude mice.	MDA-MB-231		Suggestion: RRID:CVCL_0062(link)
Experimental Models: Organisms/Strains			
Methods Cell lines Breast cancer cell lines MCF-7 and MDA-MB-231were obtained from Cell Bank of Type Culture Collection of Chinese Academy of Sciences (Shanghai, China) and cultured in Dulbeccos Modified Eagles Medium (DMEM, Gibco, USA) supplemented with 10 FBS (HyClone, USA).	MDA-MB-231were		
Software and Algorithms			
Methods Cell lines Breast cancer cell lines MCF-7 and MDA-MB-231were obtained from Cell Bank of Type Culture Collection of Chinese Academy of Sciences (Shanghai, China) and cultured in Dulbeccos Modified Eagles Medium (DMEM, Gibco, USA) supplemented with 10 FBS (HyClone, USA).	Gibco		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Independent Students t-test was used to analyze differences.	t-test
The relationship between ASIC1a mRNA in control group and testing group were analyzed by the Mann-Whitney test.	Mann-Whitney test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq