Document Identifier: **PMC8804256**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Animals: All the procedures in this study were performed in accordance with the European Union Council Directive for the Care and Use of Laboratory animals, 201063EU, and were approved by the local ethics committee (ORBEA) and the Portuguese Directorate-General for Food and Veterinary.
Euthanasia Agents: Preparation of Rat Striatum Slices: Following decapitation under deep anesthesia (isoflurane) , the brain of the animal was rapidly removed and placed in ice-cold , Carbox bubbled modified aCSF .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
A total of 21 male Wistar rats aged 8-12 weeks and weighing 300-390 g (Charles-River Laboratories, Barcelona, Spain) were used in these experiments: 6 for slices and 15 for in vivo.
Subject Demographics
Age: A total of 21 male Wistar rats aged 8-12 weeks and weighing 300-390 g (Charles-River Laboratories, Barcelona, Spain) were used in these experiments: 6 for slices and 15 for in vivo.
Weight: A total of 21 male Wistar rats aged 8-12 weeks and weighing 300-390 g (Charles-River Laboratories, Barcelona, Spain) were used in these experiments: 6 for slices and 15 for in vivo.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication	
not required.	
Data Information	
Identifiers: Argon was provided by Air Liquide, Portugal and Carbox (95 O25CO2) was obtain from Linde Sogas, Portugal.	O25CO2

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
A total of 21 male Wistar rats aged 8-12 weeks and weighing 300-390 g (Charles-River Laboratories, Barcelona, Spain) were used in these experiments: 6 for slices and 15 for in vivo.	Wistar		Suggestion: RRID:RGD_13508588(link)
Software and Algorithms			
, FAST Analysis version 6.0, OriginPro 2016, and GraphPad 5.0.	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)
The diffusion of H2O2 from a spherical source was modeled using OriginPro 2016, based on equation (1), which describes diffusion from a spherical source 30.	OriginPro		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Normality of data was confirmed using the DAgostino and Pearson omnibus normality test (a = 0.05).	Pearson omnibus normality test
Calculated parameters were statistically evaluated by using One-way ANOVA followed by Dunnett post-hoc test.	ANOVA
	Dunnett post-hoc test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq