Document Identifier: **PMC8804942**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Informed consent was obtained from all participants.
Field Sample Permit: Sample collection and processing have been described previously. 23 Cutoffs for biomarker positivity were: Ab+: Ab <977 pgmL p-tau+: p-tau >21.8 pgmL t-tau+: t-tau >270 pgmL (http:adni.loni.usc.edumethods). 24 , 25 There were 521 returnees with Ab, 518 with p-tau, and 519 with t-tau data.
Inclusion and Exclusion Criteria
not detected.
Attrition
21 Having found no external norms for the AVLT that were appropriate for this sample and accounted for age, sex, and education, the AVLT was z-scored based on ADNI participants who were CN at baseline (n = 889).
Sex as a biological variable
not detected.
Subject Demographics
Age: Mean educational level of returnees was 16 years (standard deviation SD = 2.7), 47 were female, and mean baseline age was 74.9 years (SD = 6.8).
Randomization
not detected.
Blinding
not detected.
Power Analysis
Sample size estimates were determined across a range of drug effects (10 to 40 reduction in MCI diagnoses) with a = 0.05 and power = 0.80.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
2 MATERIALS AND METHODS 2.1 Participants Data were obtained from the ADNI database (adni.loni.usc.edu).	ADNI		Suggestion: ADNI - Alzheimer's Disease Neuroimaging Initiative (RRID:SCR_003007)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
McNemar kh2 tests were used to compare differences in the proportion of individuals classified as having MCI before versus after adjusting for PEs, and to determine if PE-adjusted diagnoses changed the proportions of biomarker-positive MCI and CN participants.	McNemar kh2 tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq