Document Identifier: **PMC8805879**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study was approved by our ethics committee, and all patients had signed informed consent.
Consent: The study was approved by our ethics committee, and all patients had signed informed consent.
Inclusion and Exclusion Criteria
All subjects with a history of other complications were excluded from this study.
Attrition
Placenta tissues were obtained from 5 pregnant women with normal pregnancy (Control group) and another five patients with GDM (GDM group).
Sex as a biological variable
Materials and methods Patients and placenta tissue preparation Human placenta tissues were obtained from 36–42-week pregnant women from Huai’an Maternal and Child Health Hospital, from 2018.01 to 2019.12.
Subject Demographics
Age: Materials and methods Patients and placenta tissue preparation Human placenta tissues were obtained from 36–42-week pregnant women from Huai’an Maternal and Child Health Hospital, from 2018.01 to 2019.12.
Randomization
Mice were randomly divided into two groups: mice in the Control group were given the normal diet and mice in the GDM group were received high-sugar and high-saturated fat combined diet.
Blinding
not detected.
Power Analysis
not detected.
Replication
All qPCRs were carried out in triplicate for each sample and GAPDH was used as endogenous control .

Number: All qPCRs were carried out in triplicate for each sample and GAPDH was used as endogenous control .
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The membranes were incubated overnight with primary antibodies against KLF9 (orb247847 , Biorbyt) , DDAH2 (orb247451 , Biorbyt) , Bcl-2 (ab182858 , Abcam)	KLF9		
	DDAH2		
	orb247451		
	Bcl-2 (ab182858		
Experimental Models: Cell Lines			
Cell counting kit-8 HTR8/SVneo cells were inoculated in 96-well plate (2 × 105 cells/well) for attachment .	HTR8/SVneo		Suggestion: RRID:CVCL_7162(link)
Experimental Models: Organisms/Strains			
GDM mice model establishment The 4-week-old C57BL/6 J mice were purchased from Vitalriver (Beijing , China) .	C57BL/6 J		
Software and Algorithms			
The specific short hairpin RNA (shRNAs) targeting KLF9 (sh-KLF9-1 and sh-KLF9-2) and DDAH2 (sh-DDAH2#1 and sh-DDAH2#2) and their respective negative control (sh-NC) were designed and synthesized by GenePharma (Shanghai , China) .	GenePharma		
Bioinformatics analysis The shared binding sites between KLF9 and DDAH2 were analyzed using JASPAR (http://jaspar.genereg.net) and their correlation was predicted by GEPIA (http://gepia.cancer-pku.cn) database.	JASPAR		Suggestion: JASPAR (RRID:SCR_003030)(link)
	http:// jaspar.genereg.net		
Statistical analysis Data were analyzed by Graphpad prism 6.0 (GraphPad Software, La Jolla, CA, USA) and expressed as mean ± SD.	Graphpad		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
One-way analysis of variance followed by Tukey's test was used to analyze the differences. $p < 0.05$ was considered as statistically significant.	analysis of variance
	Tukey's test
Oligonucleotides	
Primers are as follows: KLF9: forward 5#-TACATGGACTTCGTGGCTGC-3# , reverse 5#-AGGGCCGTTCACCTGTATGC- 3# .	5#-TACATGGACTTCGTGGCTGC- 3#
	5#-AGGGCCGTTCACCTGTATGC- 3#
DDAH2: forward 5#-GCAACGACTAGGTCTGCAGCT TC-3# , reverse 5#-GGTACCGTAGAGACAGCGAAG TC-3# .	5#-GCAACGACTAGGTCTGCAGCT TC-3#
	5#-GGTACCGTAGAGACAGCGAAG TC-3#
GAPDH: forward 5#-GTCTTCACTACCATGGAGAAG -3# , reverse 5#-TCATGGATGACCTTGGCCAG- 3# .	5#-GTCTTCACTACCATGGAGAAG -3#
	5#-TCATGGATGACCTTGGCCAG- 3#

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq