Document Identifier: **PMC8811435**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
Inclusion and Exclusion Criteria Inclusion criteria: (1) studies that detected cyclin D1 expressionCCND1 amplification in MM cells via immunohistochemistry (IHC), reverse transcription-polymerase chain reaction (RT-PCR) or fluorescence in situ hybridization (FISH) (2) studies that reported the relationship between cyclin D1 expression and survival parameters, such as overall survival (OS), progression-free survival (PFS), and event-free survival (EFS) (3) studies that divided CCND1 expression into positive and negative groups (4) studies that designed a prospective or retrospective cohort study (5) studies that provided available hazard ratios (HRs) and 95 confidence intervals (95 CIs) for survival analysis.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
21 Retrieval Strategy We searched for studies on the relationship between cyclin D1 and the prognosis of MM published up to February 2020 in PubMed, Web of Science, and EMBASE.	PubMed		Suggestion: PubMed (RRID:SCR_004846)(link)
	EMBASE		Suggestion: EMBASE (RRID:SCR_001650)(link)
Statistical Analysis The meta-analysis was conducted via the STATA software (version 16.0).	STATA		Suggestion: Stata (RRID:SCR_012763)(link)
For I 2 >=50, a random-effects model was applied through inverse variance according to the Cochrane Collaboration guidelines. 21 Otherwise, a fixed-effect model was adopted.	Cochrane Collaboration		

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq