SciScore: 0
What's this?

Document Identifier: **PMC8811932**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not required.
Blinding
not required.
Power Analysis
not required.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The confine pressure was set to 10 MPa for the purpose of simulating the in situ coal reservoir condition using an experimental setup displayed in Figure 2 (3) after step (2) , the experimental samples were subjected to the LFNMR test for the purpose of obtaining the T 2 spectrum before WS (4) work fluid with 75 formation water salinity (FWS) was injected into the core at a flow rate of 0.05 mLmin under the confine pressure of 10 MPa , then permeability was measured after the inlet pressure and the outlet pressure were steady (5) permeability of the cylindrical cores during the injection of work fluids with 50 FWS , 25 FWS , and distilled water were measured subsequently and (6) after step (5) , the cylindrical cores were subjected to LFNMR again for the purpose of obtaining the T 2 spectrum after WS to distinguish the pore space variation before and after WS simulation .	LFNMR test
The pore-size distribution of the coal sample in this research was obtained by combing data results from the MIP test and LTNA test, whose details can be referred to in Appendix A. 3.5 Determination of the Relationship between the T 2 Value and Pore Diameter There is a consistent one-to-one match between the relaxation time (T 2) value and pore diameter, namely the greater the T 2, the greater the corresponding pore diameter.	MIP test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq