Document Identifier: **PMC8816661**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: 2 Material and methods 2.1 Ethical considerations The study was conducted after obtaining ethical clearance from the Institutional Ethics Committee of the Safdarjung Hospital, New Delhi.
Consent: A written informed consent was obtained from the legally acceptable representative of the study participants.
Inclusion and Exclusion Criteria
2.5 Exclusion criteria Those with any clinically significant renal, hepatic, or cardiac disease, any clinical or laboratory sign of infection, history of allergy to beta lactams/cephalosporins and having received any antibiotic in the previous 1 week were excluded from the study.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: 2.3 Drug All participants received single dose of 75 mg per kilogram body weight upto a maximum dose of 1000 mg of ceftriaxone (Monocef, Aristo Pharmaceuticals, India) in 10 ml saline intravenously over 5 min, after induction. 2.4 Inclusion criteria Patients of either sex of less than 12 years of age, planned for surgery and whose legally acceptable representative gave written informed consent.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
2.9 Statistical analysis Data was analyzed using SPSS version 26 (IBM Corporation, New York, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
One sample Student's t-test was performed on various serum and tissue concentrations of ceftriaxone at the test value of 4 mg/L.	t-test
Categorical and continuous variables in the outcome (SSI or No SSI) groups were compared by the Fisher's exact test and the Mann-Whitney test, respectively.	Fisher's exact test
	Mann-Whitney test
Correlation tests were conducted with serum and tissue concentrations of ceftriaxone and patient characteristics as independent variables, and SSI as the dependent variable.	Correlation tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq