Document Identifier: **PMC8828410**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: Materials and Methods Animal experiments All animal studies were approved by the Institutional Animal Use and Care Committee of Hebei General Hospital.
Euthanasia Agents: The mice were anesthetized to death by intraperitoneal injection of 200 mg/kg pentobarbital sodium.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Male 8–10-week-old C57BL/6J mice were housed at 22 ± 1°C and 45–55% humidity for 1 week.
Subject Demographics
Age: Male 8–10-week-old C57BL/6J mice were housed at 22 ± 1°C and 45–55% humidity for 1 week.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Subsequently, the primary antibodies (CD31, 1:200, Abcam, Cambridge, UK; FSP1, 1:200, Affinity, Jiangsu, China) were added with cells at 4°C overnight.	CD31		
After clearing the primary antibodies, cells were stained with secondary antibodies (Cy3-labeled goat-anti-rabbit IgG, 1:200, Beyotime, Haimen, China; FITC-labeled goat-anti-mouse IgG, 1:200, Beyotime) for 60 min at room temperature.	IgG		
After blocking, the membranes were incubated with the primary antibodies (ADAM8, 1:1,000, Proteintech; α-SMA, 1:1,000, Affinity; FSP1, 1:1,000, Affinity; VE-cadherin, 1:1,000, ABclonal, Wuhan, China; TGF-β1, 1:1,000, ABclonal; Smad2, 1:1,000, Affinity; p-Smad2, 1:1,000, Affinity; Smad3, 1:1,000, ABclonal; p-Smad3, 1:1,000, ABclonal) at 4°C overnight.	ADAM8		
	VE-cadherin		
Experimental Models: Organisms/Strains			
Male 8–10-week-old C57BL/6J mice were housed at 22 ± 1°C and 45–55% humidity for 1 week.	C57BL/6J		Suggestion: RRID:IMSR_JAX:000664(link)
Software and Algorithms			
Multiple comparisons were performed using one-way ANOVA followed by Bonferroni's post hoc test from GraphPad Prism 8.0.	GraphPad Prism		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Student's t-test was used for two-group comparisons.	Student's t-test
Multiple comparisons were performed using one-way ANOVA followed by Bonferroni's post hoc test from GraphPad Prism 8.0.	ANOVA
	Bonferroni's post hoc test
Oligonucleotides	
ADAM8 forward 5'-GGGGTTGATTTCATTGGG-3' , reverse 5'- ACCCTCCCGTGGTTCAG-3'; ANP forward 5'-GGGCTTCTTCCTCGTCTT-3' , reverse 5'-CTTCTCCTCCAGGTGGTCTA-3'; BNP forward 5'-CAGCTCTTGAAGGACCAA-3' , reverse 5'-GTTACAGCCCAAACGACT-3' ; collagen I forward 5'-AAGAACCCTGCCCGCACATG-3', reverse 5'-GAATCCATCGGTCATGCTCT-3'; collagen III forward 5'-GCCCACAGCCTTCTACACCT-3', reverse 5'-GATAGCCACCCATTCCTCCC-3'; CTGF forward 5'-TGTGAAGACATACAGGGCTAA G-3', reverse 5'-ACAGTTGTAATGGCAGGCAC-3'; α-SMA forward 5'-GGGAGTAATGGTTGGAAT-3' , reverse 5'-TCAAACATAATCTGGGTCA-3 '; FSP1 forward 5'-TACTCAGGCAAAGAGGGTG-3 ', reverse 5'-CAATGCAGGACAGGAAGAC-3 '; VE-cadherin forward 5'-CAGCCCTACGAACCTAAA-3' , reverse 5'-AAACTGCCCATACTTGACC-3 '.	5'-GGGGTTGATTTCATTGGG-3'
	5'- ACCCTCCCGTGGTTCAG-3'
	5'-GGGCTTCTTCCTCGTCTT-3'
	5'-CTTCTCCTCCAGGTGGTCTA- 3'
	5'-CAGCTCTTGAAGGACCAA-3'
	5'-GTTACAGCCCAAACGACT-3'
	5'-AAGAACCCTGCCCGCACATG- 3'
	5'-GAATCCATCGGTCATGCTCT- 3'
	5'-GCCCACAGCCTTCTACACCT- 3'
	5'-GATAGCCACCCATTCCTCCC- 3'
	5'-TGTGAAGACATACAGGGCTAA G-3'
	5'-ACAGTTGTAATGGCAGGCAC- 3'
	5'-GGGAGTAATGGTTGGAAT-3'
	5'-TCAAACATAATCTGGGTCA-3 '
	5'-TACTCAGGCAAAGAGGGTG-3 '
	5'-CAATGCAGGACAGGAAGAC-3 '
	5'-CAGCCCTACGAACCTAAA-3'
	5'-AAACTGCCCATACTTGACC-3 '

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq