Document Identifier: **PMC8841636**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: All experiments were approved and performed in accordance with the guidelines of the Animal Care Committee of Kunming Medical University .
IRB: All experiments were approved by the Ethics Committee of Dali University (Dali , China; Approval number: TCM-2017-041-E17) and performed in accordance with The Guidelines of the Animal Care Committee of Dali University .
Euthanasia Agents: The rats were subjected to taurocholate-induced SAP for 24 h , anesthetized using intravenous pentobarbital sodium (50 mg/kg) , and sacrificed via cervical dislocation .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Weight: Experimental animals Eighty adult male Sprague Dawley rats weighing 251 ± 23 g were purchased from the Kunming Medical University Laboratory Animal Center (Kunming , China) .
Age: The rats were 8–9 wk of age at the initiation of the experiment and maintained on a standard laboratory food intake.
Randomization
Animal groups and drug administration The rats were randomly assigned into four groups (n = 10 for each group) , namely , SO , SO treatment , SAP , and SAP treatment groups .
Blinding
not detected.
Power Analysis

not detected.
Replication
Amplifications were repeated thrice.
Number: Amplifications were repeated thrice.
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Anti-rabbit or anti-mouse HRP-conjugated IgG Abs were used to detect the binding of the Abs.	Anti-rabbit		
Experimental Models: Cell Lines			
11 RAW264.7 macrophages were pre-incubated with NG-R1 for 24 h and stimulated using LPS (1 g/l).	RAW264.7		Suggestion: RRID:CVCL_0493(link)
Experimental Models: Organisms/Strains			
Experimental animals Eighty adult male Sprague Dawley rats weighing 251 ± 23 g were purchased from the Kunming Medical University Laboratory Animal Center (Kunming , China) .	Sprague Dawley		Suggestion: RRID:RGD_70508(link)
Recombinant DNA			
RAW264.7 macrophages were transfected with the wild type (WT) Tollip 3#-UTR, or the mutant Tollip 3#-UTR was cloned into the p-miR-reporter plasmid (Thermo Fisher Scientific, Inc.) together with miR-128-2-5p mimics, inhibitor, or NC by using Lipofectamine RNAi Max (Thermo Fisher Scientific, Inc.).	p-miR-reporter		
Software and Algorithms			
The miR-128-2-5p mimics, inhibitor, and NC oligonucleotides were purchased from Sangon Biological Engineering Co., Ltd (Shanghai, China).	Sangon Biological		
MiR-128-2-5p target gene prediction and dual luciferase reporter assay The target gene of miR-128-2-5p was predicted using the PicTar (www.pictar.org), TargetScan (http://www.targetscan.org), and a database (www.mirbase.org).	PicTar		Suggestion: PicTar (RRID:SCR_003343)(link)
	TargetScan		Suggestion: TargetScan (RRID:SCR_010845)(link)
Quantitative analysis was performed using the Image J.	Image J		Suggestion: ImageJ, RRID:SCR_003070(link)
NF-κB65- and TLR4-positive expression in the lung tissue was determined and expressed as positive units by using the Image-Pro Plus image analysis software (Media Cy Bemetics American Company).	Image-Pro Plus		Suggestion: Image-Pro Plus (RRID:SCR_016879)(link)

Statistical analysis The SPSS 11.0 software was used for the statistical analysis of the results.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
For two-group comparisons, the unpaired Student's t-test was used (GraphPad Software, San Diego, CA).	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Repeatedly measured data were statistically analyzed using analysis of variance (ANOVA).	analysis of variance
	ANOVA
Data were analyzed using ANOVA and the Newman–Keuls comparison.	Newman–Keuls
For two-group comparisons, the unpaired Student's t-test was used (GraphPad Software, San Diego, CA).	t-test
Oligonucleotides	
Gene Primer Product length (bp) miR-128-2-5p F-5#-TCCGATCACAGTGAACCGGT 3# 143 bp R-5#- GTGCAGGGTCCGAGGT-3# U6 F-5# CTCGCTTCGGCAGCACA-3# 158 bp R-5#-	F-5#- TCCGATCACAGTGAACCGGT 3#
	GTGCAGGGTCCGAGGT-3# U6 F-5# CTCGCTTCGGCAGCACA-3#
	U6
	F-5#
AACGCTTCACGAATTTGCGT-3# HMGB1 mRNA F-5# -TGGTACATATCGGGCTAGAAG -3#R-5#- CCA TACTGTACCAGGCAAGGT-3# 218 bp TLR4 mRNA F-5#-CCAAGAACCTAGATCTGAGCTTCA ATC-3#R-5#-TCCTGGCTGGACT TAAGCTGTAG-3# 205 bp Tollip mRNA F-5#-GGACAACGGTCAGCGACGCA-3#R -5#-CATAGCCCAGACGCAGGCGG -3# 248 bp NF-κB 65mRNA F-5#-GGATGGCTACTATGAGGCT GAC-3#R-5#-CTAATGGCTTGCT CCAGGTCTC -3# 171 bp IkB mRNA F-5#-GCCTGGACTCCATGAAAGA C-3#R-5#-CAAGTGGAGTGGAGT CTGCTGCAGCTTGTT-3# 277 bp ERK1 mRNA F-5#-AACCTGCTCATCAACACCAC-3#R -5#- CGTAGCCACATACTCCGTCA -3# 174 bp β-Actin F-5#-AGCGGTTCCGATGCCCT -3#R-5#-AGAGGTCTTTACGGAT GTCAACG-3# 190 bp Western blot The lung tissues were homogenized in the lysis buffer containing protease inhibitors , and the protein concentrations were determined using the Bradford reagent (Bio-Rad Laboratories Inc .	- TGGTACATATCGGGCTAGAAG -3#R-5#- CCA TACTGTACCAGGCAAGGT-3#
	CCAAGAACCTAGATCTGAGCTTCA ATC-3#R-5#-TCCTGGCTGGACT TAAGCTGTAG-3#
	GGACAACGGTCAGCGACGCA-3#R -5#-CATAGCCCAGACGCAGGCGG -3#
	AACCTGCTCATCAACACCAC-3#R -5#-CGTAGCCACATACTCCGTCA -3#
	F-5#- AGCGGTTCCGATGCCCT -3#R-5#-AGAGGTCTTTACGGAT GTCAACG-3#

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences

that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq