Document Identifier: **PMC8842716**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The Ethics Committee of the University of Geneva approved the study.
Inclusion and Exclusion Criteria
All participants were recruited by means of an advertisement presented at their courses.
Attrition
not detected.
Sex as a biological variable
However, the stimuli for this neutral-face version of the task consisted of neutral facial expressions on 12 individuals (six females and six males) selected from the Macbrain Face Stimulus Set available at www.macbrain.org.
Subject Demographics
Age: Method Participants The sample was composed of 50 students aged 18-45 years (M(age) = 23.8 SD = 5.3) who were engaged in regular full-time studies at the Faculty of Psychology and Educational Sciences at the University of Geneva.
Randomization
They were divided randomly into two groups (experimental and control groups) with 25 participants each.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication

Authentication: Mindfulness concept To observe the five main components of MF skills , we used the validated French version of the Five Facet Mindfulness Questionnaire (

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Cell Lines			
For the first MANOVA, we combined psychopathological symptoms (depression, SA, TA, stress) because we observed several correlations between our variables: BDI-2STAI-Y(SA) = .288 BDI-2STAI-Y(TA) = .308 BDI-2PSS = .	TA		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Test-retest reliability coefficients were as follows: Global mindfulness score, .	Test-retest reliability coefficients
A MANOVA is used to reduce the likelihood of Type 1 errors in situations with multiple dependent variables, which increases the power compared to single, univariate analysis of variance (ANOVAs Tabachnick & Fidell, 2013).	MANOVA
	analysis of variance
	ANOVAs

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq