Document Identifier: **PMC8855411**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The protocol was submitted to the institutional review board (IRB) and was determined to be exempt from full IRB review.
Consent: Ability to provide informed consent to Q . I . personnel at all segments of assessment battery administration Q . I . personnel would ensure that collected data was given with fully informed consent , and patient consent status did not change throughout the assessment period.
Inclusion and Exclusion Criteria
Patients unable to read or speak English or Spanish at any fluency were excluded from the study , as the TOFHLA tool is validated only in English and Spanish .
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Ethnicity categorization American Indian/Alaska native Asian Black/ African American Pacific Islander White Hispanic/Latino Upon completion of bedside assessments , responses were securely stored in a database referred to as REDCap (Research Electronic Data Capture) , a clinical research workflow-optimized , HIPAA compliant data storage platform (30) .	REDCap		Suggestion: REDCap (RRID:SCR_003445)(link)
Analyses were performed using SAS , Copyright I 2002-2012 by SAS Institute Inc .	SAS Institute		Suggestion: Statistical Analysis System, RRID:SCR_008567(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical Analysis Two sample t-tests were used to compare continuous variables between groups , and Fisher 's exact test was used to compare categorical variables .	t-tests
	Fisher 's exact test
To evaluate whether TOFHLA adds predictive value to LACE + score predicting 30-day readmission (y/n) , the area under the curve (AUC) from the receiver operating characteristic (ROC) curves of the 2 logistic models using LACE + score and combined LACE + score and TOFHLA , were compared using DeLong’s test .	DeLong’s test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq