Document Identifier: **PMC8857660**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: All the specimens from the patients and volunteers were obtained by abiding by the guidelines by the Helsinki declaration (revised 1975 edition, 2008) and the medical ethics committee of the First Affiliated Hospital of Guangxi Medical University.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Methods Patients and cell lines There were 62 newly diagnosed APL patients admitted to our hospital from October 2015 to July 2019, including 24 males and 38 females (ratio of males to females was 1:1.58) ranging from 16 to 66 years (median age 37).
Subject Demographics
Age: Methods Patients and cell lines There were 62 newly diagnosed APL patients admitted to our hospital from October 2015 to July 2019, including 24 males and 38 females (ratio of males to females was 1:1.58) ranging from 16 to 66 years (median age 37).
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
The experiments were repeated 3 times, and the mRNA expression was calculated using the 2-DD CT method.

Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Reagents Mouse anti-human Robo1 primary antibody (Mouse IgG1 Clone 770,502, R&D, USA) and PE-conjugated fluorescent-labeled secondary antibody (F0102B, R&D Biotechnology, USA) for measuring the levels of Robo1 using flow cytometry.	anti-human Robo1		
FITC-conjugated Goat anti-Mouse IgG (H + L) secondary antibody (GAM001, MultiSciences Biotech Co., Ltd, USA) was used as a reference for Immunofluorescence assay.	GAM001		
Mouse monoclonal primary antibody against Robo1 (2 ugmL, R&D 770,506), human GAPDH(R&D Catalog AF5718, USA) and anti-mouse IgG secondary antibody (HAF007, R&D, US) were used for western blotting.	Robo1		
	anti-mouse IgG		
There were three control samples, including blank control without antibody, negative control with only secondary antibody, and IgG isotype control with IgG isotype antibody.	IgG isotype control with IgG		
Immunofluorescence test to measure Robo1 expression Cells were taken and fixed in 4 phosphate-buffered paraformaldehyde overnight, then washed twice with phosphate-buffered saline (PBS), blocked with 3 goat Serum for 30 min, and labeled with mouse anti-human Robo1 primary antibody (Mouse IgG1 Clone 770,502, R&D, USA) at a 15 ugmL dilution in 0.1 BSA buffer with PBS at 4 degC overnight.	Mouse IgG1		
After electrophoresis and membrane transfer, the membranes were incubated with mouse monoclonal Robo1 primary antibody (2 ugmL, 770,506, R&D) and mouse GAPDH monoclonal antibody (1 ugmL, AF5718, R&D, USA) in Tris-buffered saline with Tween-20(TBST)at 4 degC overnight.	GAPDH		
Experimental Models: Cell Lines			
The non-resistant NB4 cell line was provided by Dr. Liang of	NB4		

the Department of Hematology, Zhongshan University, and the A549 cell line by Dr.	A549		Suggestion: RRID:CVCL_0023(link)
Software and Algorithms			
All-trans retinoic acid (ATRA) (R 2625, Sigma Prod.,	Sigma Prod.		
All analysis was performed using the SPSS 17.0 (SPSS Inc., Chicago, IL, USA) and the GraphPad InStat software (GraphPad Software, Inc., San Diego, CA, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
	GraphPad InStat		
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical methods Differences between groups were compared using one-way ANOVA with Dunnets post-test for normally distributed data, and by the Kruskal-Wallis test followed by Dunns multiple comparisons test for data showing non-Gaussian distribution.	ANOVA
	Dunnets post-test
	Kruskal-Wallis test
	Dunns multiple comparisons test
Incidences were compared using the Chi-square test and analyzed using Pearson or Fishers exact test according to the minimum expected count, which was more or less than 5.	Chi-square test
	Pearson
	Fishers exact test
The relativity of data was analyzed by Spearmans test.	Spearmans test
Oligonucleotides	
The primer sequences of the target genes for qRT-PCR were as follows: Robo1 forward - 5-CTTACACCCGTAAAAGTGACGC -3 and reverse - 5-TGGTCTTCTAAGACAGTCAGC-3 b-actin forward - 5-TGACGTGGACATCCGCAAAG-3 and reverse - 5-CTGGAAGGTGGACAGCGAGG-3 IL-1b forward - 5-TTGTTGCTCCATATCCTGTCC-3 and reverse - 5-CACATGGGATAACGAGGCTT-3 IL-8 forward - 5-CTCTTGGACGCCTTCCTGATT-3 and reverse - 5-TATGCACTGACATCTAAGTTCTTTAGC-3 IL-6 forward - 5-GTGAAAGCAGCAAAGAGGC-3 and reverse - 5-TGGGTCAGGGGTGGTTAT-3 TNF-a forward - 5-CCACCCATGTGCTCCTCA-3 and reverse - 5- CTGGCAGGGGCTCTTGAT-3 CXCR1 forward - 5-CCTGGATGCCACTGAGATTC-3 and reverse - 5-GCCAAGAACTCCTTGCTGAC-3 CXCR2 forward - 5-CACATGGGGCAGAAGCAC-3 and reverse - 5-GCAGGACCAGGTTGTAGGG-3 CXCR3 forward - 5-GGTGGTGCTGGTGGACAT-3 and reverse - 5-CCCCTACAAAGGCATAGAGC-3 CXCR4 forward - 5-GGCTGCCTTACTACATTGGG-3	5-CTTACACCCGTAAAAGTGACGC -3
	5-TTGTTGCTCCATATCCTGTCC- 3
	5-GTGAAAGCAGCAAAGAGGC-3
	5-CCTGGATGCCACTGAGATTC-3
	5- GGCTGCCTTACTACATTGGG-3

and reverse - 5-AGCTAGGGCCTCGGTGAT-3.	

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq