Document Identifier: **PMC8866879**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: The blood samples from ostensibly healthy patients screened during a physical examination were anonymized samples that were destined to be discarded after routine blood clotting tests had been performed in the laboratory, so it was not necessary to obtain informed consent from the patients.
Inclusion and Exclusion Criteria
2.4 Inclusion and exclusion criteria 2.4.1 Inclusion criteria a) Ostensibly healthy patients with normal coagulation results detected by other blood coagulation instruments b)
Attrition
not detected.
Sex as a biological variable
, hemorrhagic diseases, heart and cerebrovascular diseases, malignant tumors, abnormal liver and renal function or a history of infection, fever or surgery within the last 30 days e) Pregnancy, lactation or menstruation f) Drugs, including those currently in use that may affect blood clotting and fibrinolysis, including but not limited to acetylsalicylic acid, oral anticoagulants, warfarin, heparin, antiplatelet drugs and contraceptives g) Special diets 2.5 Reference interval grouping Data were grouped and compared according to age, and the Z test was used to determine whether there was statistically significant difference between the mean values after grouping.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
AT TOP 700 HemosIL Liquid Antithrombin The activity of residual FXa in plasma was quantified by hair color substrate method DD TOP 700 HemosIL D-Dimer HS Immunoturbidimetry of polystyrene latex particles coated with F(AB)2 fragment was performed using mouse monoclonal antibody (MA-8D3) 2.3 Sample collection All samples used in this study were collected through sphenoid needle venipuncture.	Antithrombin		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
, hemorrhagic diseases, heart and cerebrovascular diseases, malignant tumors, abnormal liver and renal function or a history of infection, fever or surgery within the last 30 days e) Pregnancy, lactation or menstruation f) Drugs, including those currently in use that may affect blood clotting and fibrinolysis, including but not limited to acetylsalicylic acid, oral anticoagulants, warfarin, heparin, antiplatelet drugs and contraceptives g) Special diets 2.5 Reference interval grouping Data were grouped and compared according to age, and the Z test was used to determine whether there was statistically significant difference between the mean values after grouping.	Z test
The normality of the data was assessed using the Kolmogorov-Smirnov test.	Kolmogorov-Smirnov test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq