SciScore: 5
What's this?

Document Identifier: **PMC8868185**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
The inclusion criteria included all adult patients who met all the diagnostic criteria from the Berlin definition of ARDS (11), who had been hospitalized in the EICU for longer than 24 h, and for whom there existed complete clinical data.
Attrition
Patients were excluded if the following criteria were met: (1) they were younger than the age of 18 (2) they had pre-existing chronic kidney disease (defined as an estimated glomerular filtration rate less than 60 mLmin1.73 m2(12)) or receiving renal replacement therapy before admission (3) they had suffered AKI prior to ARDS onset (4) they displayed evidence of renal transplantation (5) they had a history of long-term use of nephrotoxic drugs (6) they had a history of malignancy and haematologic disorder.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis All data in the present study were analyzed using SPSS19.0 for Windows (SPSS Inc . , Chicago , IL)	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Normally distributed continuous variables were presented as means +- standard deviation and compared using Students t test.	t test
Non-normally distributed continuous data were presented as median with interquartile ranges and compared using Mann-Whitney U test.	Mann-Whitney U test
Categorical data were presented as frequencies and percentages, and compared using Fishers exact test, or chi-square test where appropriate.	Fishers exact test
	chi-square test
Survival curves were estimated using the Kaplan-Meier method and the mortality of each group was compared with the log-rank test.	log-rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq