Document Identifier: **PMC8869555**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication
not detected.

Data Information	
Availability: The structure of bufalin is available at the PubChem website (PubChem CID:9547215) .	
Identifiers: EdU assay As reported,14,15 cells were treated with 150 mL 5-ethynyl-2-deoxyuridine (EdU) (Ribobio , Guangzhou , China) for 2 h .	reported,14,15

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Antibodies to EGFR , phospho-EGFR , AKT , phospho-AKT , ERK , and phospho-ERK were purchased from Cell Signaling Technology (Danvers , MA , USA) .	Antibodies to EGFR , phospho-EGFR , AKT , phospho-AKT , ERK		
	EGFR		
	phospho-EGFR , AKT		
	phospho-ERK		
Antibody to b-actin was purchased from Beijing Zhongshan	b-actin		
Experimental Models: Cell Lines			
Methods Cell lines and culture Human ovarian cancer SK-OV-3 cells were purchased from the American Type Culture Collection (Manassas, VA, USA) and cultured in a 37degC incubator with 5 carbon dioxide.	SK-OV-3		Suggestion: RRID:CVCL_0532(link)
Software and Algorithms			
(thiazolyl blue) were purchased from Sigma (St . Louis , MO , USA)	Sigma		Suggestion: sigma-tau (RRID:SCR_000488)(link)
The structure of bufalin is available at the PubChem website (PubChem CID:9547215) .	PubChem		Suggestion: PubChem (RRID:SCR_004284)(link)
0 (GraphPad Software, San Diego, CA, USA) was used for statistical analysis.	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
One-way Analysis of Variance (ANOVA) followed by Newman-Keul post hoc test was used to compare multiple groups.	Analysis of Variance
	ANOVA
	Newman-Keul post hoc test
Unpaired Student t test was performed to compare two groups.	t test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq