Document Identifier: **PMC8874133**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
Clinics were excluded if they joined the corporate group after the initial programme materials were distributed in October 2018 (n = 5), if they were staffed only by casuallocum veterinarians (n = 10), or if the clinic was closed for a period of time greater than 4 months during the trial (n = 2) (Figure 1).
Attrition
Clinics were excluded if they joined the corporate group after the initial programme materials were distributed in October 2018 (n = 5), if they were staffed only by casuallocum veterinarians (n = 10), or if the clinic was closed for a period of time greater than 4 months during the trial (n = 2) (Figure 1).
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
Allocation Initially, clinics were allocated to one of the three arms of the intervention trial using a random number generator in Microsoft Excel.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Allocation Initially, clinics were allocated to one of the three arms of the intervention trial using a random number generator in Microsoft Excel.	Microsoft Excel		Suggestion: Microsoft Excel, RRID:SCR_016137(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Two-way ANOVA was performed to evaluate the effect of the intervention on prescribing rates in high-prescribing clinics compared with low-prescribing clinics.	ANOVA
Data were tested for normality using the Shapiro-Wilks test.	Shapiro-Wilks test
Homogeneity of variances across the six groups was tested using Levenes test.	Levenes test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq