Document Identifier: **PMC8881417**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Written informed consent was obtained twice from parents, once at enrollment and once after the childs birth.
IRB: The study was approved by the ethics research committee
Inclusion and Exclusion Criteria
Exclusion criteria included age <18 years, multiple pregnancies, a known history of diabetes, the inability to speak and read French or plans to move out of the study region in the following 3 years.
Attrition
Children with both an assigned sleep trajectory and serum cytokine measures were included our study sample therefore consisted of N = 687 children . Fig . 1 Night sleep trajectories for children from age 2 to 5-years in the EDEN population .
Sex as a biological variable
Pregnant women were recruited before 24 weeks gestation at the Obstetrics and Gynecology department of the French University Hospitals of Nancy and Poitiers between 2003 and 2006.
Subject Demographics
Age: Exclusion criteria included age <18 years, multiple pregnancies, a known history of diabetes, the inability to speak and read French or plans to move out of the study region in the following 3 years.
Randomization
not detected.
Blinding
All assays for determining serum concentration of cytokines were completed within a 4-week period by the same investigator , blind to the sample class .
Power Analysis
not detected.
Replication

On each of the 96-well plates , seven serial dilutions of standards and buffer only (in duplicates) were run together with 80 samples (in singlicate) on the Sector Imager 2400 plate reader (Meso Scale Diagnostics , Rockville , MD , USA) .
Number: On each of the 96-well plates , seven serial dilutions of standards and buffer only (in duplicates) were run together with 80 samples (in singlicate) on the Sector Imager 2400 plate reader (Meso Scale Diagnostics , Rockville , MD , USA) .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Comparison of the included versus excluded population was performed by Chi-square test for categorical variables, Student t-test for continuous variables with normal distribution and Mann-Whitney U test for continuous variables with non-normal distribution.	Chi-square test
	t-test
	Mann-Whitney U test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq