Document Identifier: **PMC8881631**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: All procedures involving human specimens were authorized by the ethics committee of Tongji Hospital and Tongji Medical College.
Consent: All participants were aware of the nature of the study and gave written consent for their participation .
IACUC: Animals The research was approved by the Institutional Animal Research Committee of Tongji Medical College.
Euthanasia Agents: For preventative effect , 2 weeks after virus injection , mice were anesthetized with pentobarbital (60 mgkg , intraperitoneal injection) and mechanically ventilated with a tidal volume of 0.2 mL and a respiratory rate of 100 breaths per minute , and then TAC was applied to induce pressure-overload-induced cardiac hypertrophy as previously reported.
Inclusion and Exclusion Criteria
not detected.
Attrition
The left ventricular tissues from eight patients diagnosed with end-stage HF were collected during heart transplantation .
Sex as a biological variable
Male C57BL6 mice (age , 8 weeks old) were purchased from the Experimental Animal Center of Hubei (Wuhan , China) .
Subject Demographics
Age: Male C57BL6 mice (age , 8 weeks old) were purchased from the Experimental Animal Center of Hubei (Wuhan , China) .
Randomization
To manipulate the expression levels of cytb mRNA and lnccytb , mice were randomly divided into the following groups: sham , TAC , TAC + rAAV9-GFP , TAC + rAAV9-cytb , and TAC + rAAV9-lnccytb (n = 10group) .
Blinding

not detected.
Power Analysis
not detected.
Replication
Each sample had three replicate measurements .
Number: Each sample had three replicate measurements .
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Antibodies against GFP (cat. no. AE012) , VDAC1 (cat. no. A15735) , and PTEN (cat. no. A19104) were purchased from ABclonal (Wuhan , China) .	VDAC1		
	PTEN		
Anti-GAPDH (cat. no. 60004-1-Ig) and anti-ANP (cat no. 27426-1-AP) were purchased from Proteintech (Chicago , IL) .	Anti-GAPDH		
Briefly , cells were lysed and the mitochondria were magnetically captured with anti-TOM22 antibody-coated beads .	anti-TOM22		
After incubation with the lnccytb probe and Cy3-labeled antisense miR-103-3p , heart sections were washed and treated with anti-DIG antibody (PerkinElmer , Waltham , MA) for 1 h at 37degC .	Cy3-labeled antisense miR-103-3p		
	anti-DIG		
The mitochondrial marker Tom20 antibody (1:50) and Hoechst were applied to the cardiomyocytes or sectioned heart and processed for confocal imaging .	Tom20		
Co-immunoprecipitation with anti-GFP antibody HL-1 cells were co-transfected with pcDNA3.1-MS2, pcDNA3.1-MS2-lnccytb, pcDNA3.1-MS2-lnccytb-mut, and pMS2-GFP (Addgene).	anti-GFP		
	pcDNA3.1-MS2		
	pcDNA3.1-MS2-lnccytb		
	pcDNA3.1-MS2-lnccytb-mut		
	pMS2-GFP		
Experimental Models: Cell Lines			
To evaluate intracellular ROS production in vitro , AC16 cells were incubated with DHE (Invitrogen , Carlsbad , CA) .	AC16		Suggestion: RRID:CVCL_4U18(link)
RNA pull-down Biotinylated miR-103-3p mimic or control miRNA was transfected into HL-1 cells for 48 h .	HL-1		Suggestion: RRID:CVCL_0303(link)
Dual luciferase assay For the dual luciferase assay, 400 ng of pMIR-PTEN 3 UTR, pMIR-PTEN 3 UTR mutant, or the empty vector was transfected into HEK293T cells with 40 ng of pRL-TK plasmid (Promega, Madison, WI).	HEK293T		Suggestion: RRID:CVCL_0063(link)

Experimental Models: Organisms/Strains			
Male C57BL6 mice (age , 8 weeks old) were purchased from the Experimental Animal Center of Hubei (Wuhan , China) .	C57BL6		Suggestion: RRID:IMSR_JAX:000664(link)
Recombinant DNA			
76 Moreover , to figure out whether lnccytb could affect the cardiac function under normal condition , mice were randomly divided into the following groups: control , rAAV9-GFP , rAAV9-cytb , rAAV9-lnccytb , AAV9-sh-GFP , and AAV9-sh-lnccytb (n = 5group) .	rAAV9-GFP		
46 Briefly , linear mouse lnccytb and human lnccytb were cloned into the pcDNA3.1 vector with a T7 promoter .	pcDNA3.1		Suggestion: RRID:Addgene_100544(link)
Dual luciferase assay For the dual luciferase assay, 400 ng of pMIR-PTEN 3 UTR, pMIR-PTEN 3 UTR mutant, or the empty vector was transfected into HEK293T cells with 40 ng of pRL-TK plasmid (Promega, Madison, WI).	pMIR-PTEN		
	pRL-TK		
Software and Algorithms			
Materials and methods Reagents Dulbeccos modified Eagles medium (DMEM) and fetal bovine serum (FBS) were purchased from Gibco (Grand Island,	Gibco		
Fluorescence intensity was measured under a Nikon DXM1200 fluorescence microscope and analyzed using Image-Pro software (Media Cybernetics , Bethesda , MD) .	Image-Pro		
82 The intensities of individual bands were analyzed by densitometry using ImageJ (National Institutes of Health Software , Bethesda , MD) and normalized to the level of GAPDH .	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Images were captured with a Nikon DXM1200 fluorescence microscope , and quantification was performed using Image-Pro Plus v.6.0 software (Media Cybernetics , Bethesda ,	Image-Pro Plus		
All calculations were performed using Prism (v.8 GraphPad Software, La Jolla, CA). $p < 0.05$ was considered significant.	Prism		
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical comparisons were made by two-tailed unpaired Students t test for two groups or one-way analysis of variance (ANOVA) followed by the Tukey post hoc analysis for three groups or more.	t test
	analysis of variance
	ANOVA
	Tukey post hoc
If the data distribution failed normality by the Shapiro-Wilk test, the Mann-Whitney U test for two groups was performed.	Shapiro-Wilk test
	Mann-Whitney U test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq