Document Identifier: **PMC8884847**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Informed consent was obtained from all subjects involved in the study, or their parents.
Field Sample Permit: The study was conducted according to the guidelines of the Declaration of Helsinki, and approved by the Ethics Committee of the Republic of Slovenia (reference number KME 510311).
IRB: The study was conducted according to the guidelines of the Declaration of Helsinki, and approved by the Ethics Committee of the Republic of Slovenia (reference number KME 510311).
Inclusion and Exclusion Criteria
For four patients, there was no sufficient material available to perform the multiplex ligation-dependent probe amplification (MLPA) assay, 3 samples contained less than 40 of blasts and were excluded from analysis, and for an additional four, the assay failed due to poor sample quality.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis All statistical analyses were performed using SPSS 22.0 software (IBM Corp., Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Event-free survival (EFS defined as the time between diagnosis and relapse or death) and overall survival (OS defined as time between diagnosis and death or last follow-up) were analysed using the Kaplan-Meier method and the differences between multiple groups were analysed using the log-rank test.	log-rank test
Comparisons of categorical values were carried out using the Fischers exact test, and for the comparison of numerical values, the Mann-Whitney U-test was used.	Fischers exact test
	Mann-Whitney U-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq