Document Identifier: **PMC8884873**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: After a thorough explanation of the testing protocol, the possible risks involved, and the right to terminate participation at will, written informed consent was obtained from each participant.
IACUC: All procedures were performed following the principles outlined in the Declaration of Helsinki and were approved by the Institutional Ethics Committee (ref. number: 1145/19).
Inclusion and Exclusion Criteria
Inclusion criteria were as follows: no lower limb injury within the past six months and at least four years of regular sport-specific and resistance training experience.
Attrition
not detected.
Sex as a biological variable
Participants Twenty-three basketball and volleyball players (14 males and 9 females) participated in this investigation (males: 21.4 ± 1.9 years, 75.8 ± 7.4 kg, 1.77 ± 0.6 m, females: 21.6 ± 2.5 years, 65.9 ± 7.2 kg, 1.69 ± 0.07 m).
Subject Demographics
Weight: Participants Twenty-three basketball and volleyball players (14 males and 9 females) participated in this investigation (males: 21.4 ± 1.9 years, 75.8 ± 7.4 kg, 1.77 ± 0.6 m, females: 21.6 ± 2.5 years, 65.9 ± 7.2 kg, 1.69 ± 0.07 m).
Age: Participants Twenty-three basketball and volleyball players (14 males and 9 females) participated in this investigation (males: 21.4 ± 1.9 years, 75.8 ± 7.4 kg, 1.77 ± 0.6 m, females: 21.6 ± 2.5 years, 65.9 ± 7.2 kg, 1.69 ± 0.07 m).
Randomization
During one session, participants executed three SJs and three CMJs interspersed with one-minute rest intervals in randomized and alternated order (i.e., one SJ followed by one CMJ, repeated three times).
Blinding
not detected.

Power Analysis
Fpeak: peak force, BW: body weight Accounting for body mass, the obtained RFD and peak force (Fpeak) values were allometrically scaled according to body mass raised to the power of 2/3 (Fpeak/BM2/3, RFD/ BM2/3) (Folland et al., 2008; Jaric et al., 2005; Markovic and Jaric, 2004; Nedeljkovic et al., 2009).
Replication
During one session, participants executed three SJs and three CMJs interspersed with one-minute rest intervals in randomized and alternated order (i.e., one SJ followed by one CMJ, repeated three times).
Number: During one session, participants executed three SJs and three CMJs interspersed with one-minute rest intervals in randomized and alternated order (i.e., one SJ followed by one CMJ, repeated three times).

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis Statistical analyses were carried out using SPSS (IBM SPSS Statistics Version 25).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Normality of the data distribution was checked using the Shapiro Wilk's test.	Wilk's test
Repeated one-way analyses of variance (ANOVA) were used to compare Fpeak and RFDpeak between the different types of muscle actions.	analyses of variance
	ANOVA
A two-way analysis of variance (RFD time intervals x type of muscle action) examined differences in RFDs time intervals between the ILP, SJ, and CMJ, and a three-way analysis of variance (RFD time intervals x gender x type of muscle action) examined RFD time intervals in males and females, during the different types of muscle actions.	analysis of variance
When ANOVAs were statistically significant, Bonferroni posthoc tests were performed.	ANOVAs
	Bonferroni posthoc tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq