Document Identifier: **PMC8886819**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
For each individual experiment, Ras antigen and Raf1-RBD-GFP localization were assessed in at least 40 randomly chosen cells at the edge of a colony.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
AESA02 anti-Ras antibody (Cytoskeleton , Denver , CO) , and the secondary antibody was 1:2500 715-036-150 peroxidase-conjugated donkey anti-mouse immunoglobulin G (Jackson ImmunoResearch) .	anti-Ras		
	anti-mouse immunoglobulin G		
The cells were fixed and stained as described in Rijal et al. (2019) using a 1:500 dilution of a primary antibody that stains a Ras antigen (AESA02 Cytoskeleton) followed by a 1:1000 dilution of secondary antibody (715-546-150 Alexa Fluor 488 donkey anti-mouse Jackson ImmunoResearch, West Grove, PA).	anti-mouse		
Recombinant DNA			
Cells were transformed with a pDm115Raf1-RBD construct (Kortholt and Van Haastert, 2008) by electroporation as previously described (Kuspa and Loomis, 1992 Rijal et al., 2019).	pDm115Raf1-RBD		
Software and Algorithms			
A 10x stock solution was made by adding 0.125 g of methylene blue (Sigma, St. Louis, MO) to 50 ml of distilled water.	Sigma		Suggestion: sigma-tau (RRID:SCR_000488)(link)
FIJI ImageJ software (Schindelin et al., 2012) was used to analyze and quantify the staining.	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Statistics Statistical analyses were done using Prism version 8.4.1 (GraphPad, San Diego, CA) for t tests and one-way or two-way analysis of variance (ANOVA) with appropriate posttests.	Prism		
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistics Statistical analyses were done using Prism version 8.4.1 (GraphPad, San Diego, CA) for t tests and one-way or two-way analysis of variance (ANOVA) with appropriate posttests.	t tests
	analysis of variance
	ANOVA

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq