Document Identifier: **PMC8887473**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
RNAseq and data analysis Total RNA was isolated and purified through RNeasy columns (Qiagen) from POLIE +myc+ RNAi cells before and after 30 h of RNAi induction with two biological replicates.
Type: RNAseq and data analysis Total RNA was isolated and purified through RNeasy columns (Qiagen) from POLIE +myc+ RNAi cells before and after 30 h of RNAi induction with two biological replicates.

Number: RNAseq and data analysis Total RNA was isolated and purified through RNeasy columns (Qiagen) from POLIE +myc+ RNAi cells before and after 30 h of RNAi induction with two biological replicates.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The eluate was incubated with Dynabeads Protein G conjugated with the HA monoclonal antibody 12CA5 (MSKCC Antibody & Bioresource Core Facility) for 2 h at 4degC.	HA		
GCV-resistant switchers were further verified by western dot-blot analysis using a VSG2 antibody.	VSG2		
Recombinant DNA			
List of T. brucei strains used in this study Strain Life cycle stage & description of genotype TRF F2H +- TIF2 +F2H- PF one allele of TRF is deleted and the other is N-terminally FLAG-HA-HA (F2H)-tagged one allele of TIF2 is deleted and the other is C-terminally F2H-tagged POLIE +myc+ BF one allele of POLIE is C-terminally tagged with 13 x myc POLIE +- BF one allele of POLIE is deleted POLIE +myc- BF one allele of POLIE is C-terminally tagged with 13 x myc and the other is deleted POLIE +myc+ TIF2 +F2H+ BF one allele of POLIE is C-terminally tagged with 13 x myc one allele of TIF2 is C-terminally tagged with F2H POLIE +myc+ TRF RNAi BF one allele of POLIE is C-terminally tagged with 13 x myc the Tet-inducible TRF RNAi expressing construct is integrated into an rDNA spacer POLIE +myc+ RNAi BF one allele of POLIE is C-terminally tagged with 13 x myc the Tet-inducible POLIE RNAi expressing construct is integrated into an rDNA spacer S (63) BF in the active VSG2-containing ES, a BSD marker is inserted immediately downstream of the ES promoter, a PUR-TK marker is inserted immediately upstream of the VSG2 gene (Supplementary Figure S3A) Sev (49) BF the active ES has the BSD and PUR-TK markers the empty RNAi construct is integrated into an rDNA spacer SIEi BF the active ES has the BSD and PUR-TK markers the Tet-inducible POLIE RNAi expressing construct	pSK-TRF-ko-Hyg		
	pSK-TIF2-ko-BSD		

is integrated into an rDNA spacer POLIE +myc+ SIEi BF the active ES has the BSD and PUR-TK markers the Tet-inducible POLIE RNAi expressing construct is integrated into an rDNA spacer one allele of POLIE is C-terminally tagged with 13 x myc SIEi + ecPOLIE-myc BF the active ES has the BSD and PUR-TK markers the Tet-inducible POLIE RNAi expressing construct is integrated into an rDNA spacer an inducible ectopic POLIE-myc expressing construct is integrated into an rDNA spacer TR -- (41) BF both TR alleles are deleted TR -- POLIE RNAi BF both TR alleles are deleted the Tet-inducible POLIE RNAi expressing construct is integrated into an rDNA spacer Generation of TRF F2H+- TIF2 +F2H-: Procyclic form (PF, the insect stage) T. brucei WT cells (Lister 427) were transfected with pSK-TRF-ko-Hyg (46) and pSK-TIF2-ko-BSD (49) to delete one allele of TRF and TIF2, respectively.			
The resulting cells were transfected with pSK-F2H-TRF-Pur-tar and pSK-TIF2-F2H-Phleo-tar (49) to insert the FLAG-HA-HA (F2H) tag to the N- and the C-terminus of the remaining allele of TRF and TIF2, respectively.	pSK-F2H-TRF-Pur-tar		
	pSK-TIF2-F2H-Phleo-tar		
The S cells were transfected with pZJMb-POLIE to generate SIEi followed by transfection with pSK-POLIE-myc13-Hyg-tar to generate POLIE +myc+ SIEi.	pSK-POLIE-myc13-Hyg-tar		
Plasmids A 500 bp genomic DNA fragment upstream of the TRF gene, the Puromycin resistance gene (PUR), the ab tubulin intergenic sequence, the F2H tag, and a 500 bp fragment of the TRF gene (encoding its N-terminus) are inserted into pBluescript SK in this order to generate pSK-F2H-TRF-Pur-tar.	pBluescript		
A 470 bp DNA fragment at the N-terminus of POLIE ORF and a 520 bp DNA fragment at the C-terminus of POLIE ORF were inserted into pZJMb in tandem to generate pZJMb-POLIE RNAi construct.	pZJMb-POLIE		
The Blasticidin-resistance gene (BSD) flanked by genomic DNA fragments upstream and downstream of the POLIE gene, respectively, were	pSK-POLIE-ko-BSD		

inserted into pBluescript SK to make pSK-POLIE-ko-BSD.			
The DNA fragment encoding the full-length POLIE and a C-terminal 13 x myc tag were inserted into pLew100v5 to generate pLew100v5-POLIE-myc.	pLew100v5		
	pLew100v5-POLIE-myc		
Software and Algorithms			
The blot was exposed to a phosphorimager and the signals were quantified using ImageQuant.	ImageQuant		

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq